

Tobacco Institute Testing Laboratory
Market Sample 32
Test Report

"Tar", "Nicotine", and Carbon Monoxide Values

June 15, 1990

PM3001059880

Contents

Test Results.....	1
Test Results - Rounded Values.....	8
Appendix A.....	15
Test Results - American Tobacco Company Brands.....	16
Test Results - Brown & Williamson Brands	17
Test Results - Liggett Group Brands	18
Test Results - Lorillard Brands.....	19
Test Results - Philip Morris Brands.....	20
Test Results - R.J. Reynolds Brands	22
Test Results - Larus & Brother Brands	24
Appendix B	25
Sorted "Tar" Results"	26
Sorted "Nicotine" Results.....	33
Sorted Carbon Monoxide Results.....	40
Appendix C.....	47
Butt Lengths.....	48

**Tobacco Institute Testing Laboratory
Market Sample 32
Test Results**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
*Alpine KFMSP	17.0±0.3	1.14±0.02	16.0±0.3
*Alpine 100s 100FMSP	15.4±0.3	1.13±0.02	14.6±0.3
Alpine Lights KFMSP	9.3±0.2	0.74±0.02	10.6±0.2
Alpine Lights 100's 100FMSP	9.5±0.1	0.78±0.01	11.2±0.2
American Filter King KFSP	16.4±0.2	1.15±0.01	14.5±0.3
American Filter 100's 100FSP	16.4±0.2	1.21±0.02	14.5±0.3
American Lights KFSP	12.0±0.2	0.91±0.01	12.7±0.2
American Lights 100's 100FSP	12.3±0.3	0.97±0.02	13.2±0.4
Belair KFMSP	10.5±0.2	0.82±0.02	9.6±0.2
Belair 100's 100FMSP	8.1±0.2	0.62±0.01	8.7±0.2
Benson & Hedges KFHP	15.4±0.4	1.25±0.03	12.5±0.4
Benson & Hedges 100's 100FHP	16.4±0.2	1.22±0.02	15.3±0.2
Benson & Hedges 100's 100FMHP	16.5±0.3	1.21±0.02	15.6±0.3
Benson & Hedges 100's 100FSP	16.9±0.3	1.24±0.02	16.8±0.3
Benson & Hedges 100's 100FMSP	15.8±0.2	1.16±0.02	15.9±0.3
Benson & Hedges Deluxe Ultra Lights 100's 100FHP	5.2±0.2	0.48±0.01	6.6±0.2
Benson & Hedges Deluxe Ultra Lights 100's 100FMHP	5.1±0.2	0.47±0.01	6.8±0.2
Benson & Hedges Lights 100's 100FHP	10.8±0.2	0.85±0.02	11.6±0.4
Benson & Hedges Lights 100's 100FMHP	10.2±0.2	0.80±0.02	11.5±0.2
Benson & Hedges Lights 100's 100FSP	10.6±0.3	0.84±0.03	12.8±0.4
Benson & Hedges Lights 100's 100FMSP	10.6±0.2	0.86±0.02	11.7±0.3
*Benson & Hedges Multifilter KFSP	11.3±0.2	0.90±0.02	11.1±0.3
Cambridge Full Flavor KFSP	17.5±0.3	1.14±0.02	15.9±0.2
Cambridge Full Flavor 100's 100FSP	17.3±0.3	1.19±0.02	16.6±0.4
Cambridge Lights KFSP	12.4±0.2	0.89±0.02	12.7±0.2
Cambridge Lights KFMSP	12.0±0.3	0.87±0.02	13.0±0.4
Cambridge Lights 100's 100FSP	11.7±0.2	0.88±0.01	13.6±0.3
Cambridge Lights 100's 100FMSP	11.5±0.2	0.88±0.01	13.6±0.3
Cambridge Ultra Low Tar 100s 100FSP	4.0±0.2	0.38±0.01	6.0±0.2
Camel RNFS	22.5±0.4	1.42±0.03	14.0±0.3
Camel Filters KFHP	16.9±0.3	1.04±0.02	16.1±0.3
Camel Filters KFSP	14.8±0.2	0.96±0.02	14.3±0.3
Camel Filters 100's 100FSP	17.3±0.2	1.04±0.02	18.9±0.3
Camel Lights KFHP	9.4±0.2	0.62±0.01	11.6±0.2
Camel Lights KFSP	9.4±0.1	0.66±0.01	11.9±0.2
Camel Lights 100's 100FSP	11.0±0.2	0.78±0.01	13.7±0.3
Capri 100FHP	9.6±0.2	0.80±0.02	6.5±0.2
Capri 100FMHP	9.5±0.2	0.75±0.02	6.3±0.2
Capri 120's 120FHP	14.0±0.2	1.12±0.02	9.8±0.3
Capri 120's 120FMHP	12.1±0.2	0.96±0.02	7.5±0.2
Carlton Ultra KFHP	< 0.5	< 0.05	< 0.5
Carlton KFSP	0.9±0.1	0.13±0.01	2.0±0.1
Carlton KFMSP	< 0.5	0.09±0.01	1.3±0.1
Carlton 83 KFHP	0.7±0.1	0.12±0.01	1.6±0.1
Carlton 100's 100FHP	< 0.5	0.09±0.00	0.9±0.1

*Retested brand

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Test Results**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Carlton 100's 100FMHP.....	< 0.5	0.09±0.00	0.9±0.1
Carlton 100's 100FSP.....	2.7±0.1	0.29±0.01	3.8±0.2
Carlton 100's 100FMSP.....	4.4±0.2	0.42±0.01	6.2±0.2
Carlton 120's 120FSP.....	6.1±0.2	0.61±0.02	5.5±0.2
Carlton 120's 120FMSP.....	5.9±0.2	0.59±0.02	5.1±0.1
Century 25's (25) KFSP.....	15.1±0.3	0.97±0.02	17.4±0.4
Century 25's 100's 100FSP.....	17.2±0.2	1.14±0.02	20.4±0.3
Century 25's Lights (25) KFSP.....	9.4±0.2	0.68±0.01	11.0±0.3
Century 25's Lights 100's 100FSP.....	11.5±0.2	0.89±0.02	13.0±0.3
Century 25's Lights 100's 100FMSP.....	11.1±0.3	0.82±0.02	12.5±0.4
Chesterfield RNFSP.....	19.7±0.4	1.26±0.03	12.6±0.3
Chesterfield KNFSP.....	23.5±0.5	1.58±0.04	14.8±0.4
Chesterfield Lights KFSP.....	10.0±0.2	0.79±0.01	11.6±0.2
Chesterfield Lights 100s 100FSP.....	10.3±0.2	0.86±0.01	11.3±0.3
Doral Full Flavor KFSP.....	16.2±0.3	1.02±0.03	16.5±0.4
Doral Full Flavor KFMSP.....	16.3±0.2	1.09±0.02	16.1±0.3
Doral Full Flavor 100's 100FSP.....	16.2±0.3	1.11±0.03	18.1±0.4
Doral Full Flavor 100's 100FMSP.....	15.8±0.2	1.13±0.02	17.3±0.2
Doral Lights KFSP.....	9.8±0.2	0.72±0.02	11.2±0.3
Doral Menthol Lights KFMSP.....	10.0±0.3	0.73±0.02	11.4±0.4
Doral Lights 100's 100FSP.....	10.3±0.3	0.83±0.02	10.5±0.4
Doral Menthol Lights 100's 100FMSP.....	10.9±0.2	0.88±0.02	11.2±0.3
Doral Ultra Lights 100's 100FSP.....	4.9±0.2	0.46±0.01	7.8±0.3
English Ovals KNFHP.....	23.5±0.4	1.83±0.04	15.3±0.4
Eve Slim Lights 100's 100FHP.....	12.7±0.2	1.03±0.02	10.9±0.2
Eve Slim Lights 100's 100FMHP.....	12.9±0.3	1.03±0.02	10.7±0.3
Eve Lights 120's 120FHP.....	12.8±0.3	1.11±0.02	11.4±0.3
Eve Lights 120's 120FMHP.....	13.0±0.2	1.14±0.03	11.5±0.3
Eve Ultra Lights 120's 120FHP.....	5.4±0.2	0.58±0.02	4.0±0.1
Eve Ultra Lights 120's 120FMHP.....	5.3±0.2	0.58±0.02	3.9±0.2
Falcon Lights KFSP.....	10.9±0.3	0.74±0.02	11.0±0.3
Falcon Lights KFMSP.....	10.4±0.3	0.79±0.02	12.0±0.4
Falcon Lights 100's 100FSP.....	11.2±0.3	0.79±0.02	14.2±0.4
Falcon Lights 100's 100FMSP.....	9.0±0.3	0.75±0.02	10.8±0.3
Harley Davidson KFSP.....	13.9±0.1	0.99±0.01	16.0±0.2
Herbert Tareyton KNFSP.....	25.3±1.0	1.57±0.03	17.6±0.4
Kent Golden Lights KFHP.....	8.1±0.2	0.71±0.02	9.2±0.3
Kent Golden Lights KFSP.....	7.6±0.2	0.69±0.02	8.5±0.3
Kent Golden Lights KFMSP.....	8.1±0.3	0.73±0.02	8.9±0.4
Kent Golden Lights 100s 100FHP.....	8.9±0.3	0.83±0.03	9.7±0.4
Kent Golden Lights 100s 100FSP.....	8.7±0.3	0.80±0.02	9.2±0.5
Kent Golden Lights 100s 100FMSP.....	9.7±0.4	0.88±0.03	10.5±0.5
Kent KFHP.....	11.1±0.2	0.82±0.01	12.6±0.2
Kent KFSP.....	11.8±0.3	0.87±0.02	13.6±0.4
Kent 100s 100FSP.....	13.9±0.3	1.03±0.02	15.1±0.3
Kent 100s 100FMSP.....	14.1±0.3	1.04±0.02	14.9±0.3
Kent III KFSP.....	3.4±0.2	0.34±0.01	4.6±0.2

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Test Results**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Kent III 100s 100FHP.....	4.9±0.2	0.47±0.01	7.2±0.2
Kent III 100s 100FSP.....	4.7±0.1	0.44±0.01	7.1±0.2
Kool RNFMSF.....	21.5±0.8	1.39±0.02	14.6±0.3
Kool KFMHP.....	15.9±0.4	1.09±0.02	15.6±0.4
Kool KFMSF.....	17.0±0.3	1.19±0.03	16.0±0.4
Kool Super Longs 100's 100FMSF.....	17.2±0.3	1.27±0.03	16.9±0.3
Kool Lights KFMSF.....	8.1±0.2	0.67±0.02	9.0±0.2
Kool Lights 100's 100FMSF.....	8.7±0.3	0.74±0.02	10.0±0.4
Kool Milds KFMHP.....	11.5±0.2	0.87±0.01	11.4±0.2
Kool Milds KFMSF.....	12.2±0.2	0.94±0.03	12.6±0.2
Kool Milds 100's 100FMSF.....	12.1±0.3	0.95±0.02	13.0±0.3
Kool Ultra KFMSF.....	1.8±0.1	0.18±0.01	2.1±0.1
Kool Ultra 100's 100FMSF.....	4.8±0.2	0.43±0.02	5.0±0.2
L & M KFHP.....	13.6±0.2	1.07±0.02	12.9±0.2
L & M KFSP.....	13.6±0.3	1.05±0.02	13.0±0.3
L & M Super 100 100FSP.....	13.7±0.2	1.09±0.02	14.6±0.3
L & M Long Lights 100FSP.....	8.2±0.3	0.85±0.02	6.8±0.2
L & M 30's Lights 100's 100FSP.....	11.9±0.2	1.01±0.02	9.9±0.3
Lark KFSP.....	14.0±0.2	1.08±0.02	12.3±0.2
Lark 100FSP.....	14.4±0.2	1.17±0.02	13.6±0.2
Lark Lights KFSP.....	12.6±0.3	1.01±0.03	11.4±0.3
Lark Light 100's 100FSP.....	13.0±0.3	1.07±0.02	12.5±0.4
Lucky Strike RNFSP.....	25.1±0.4	1.56±0.03	17.2±0.4
Lucky Strike KFHP.....	12.0±0.2	0.92±0.02	12.8±0.2
Lucky Strike KFSP.....	12.3±0.3	0.92±0.02	12.8±0.4
Lucky Strike Filters 100's 100FSP.....	12.4±0.3	0.96±0.02	13.0±0.3
Lucky Strike Lights KFSP.....	8.4±0.2	0.68±0.01	10.1±0.3
Lucky Strike Lights 100's 100FSP.....	8.9±0.2	0.76±0.02	9.8±0.3
Magna KFHP.....	13.9±0.2	0.89±0.02	14.9±0.3
Magna KFSP.....	13.5±0.2	0.93±0.01	13.9±0.3
Magna Lites KFSP.....	9.4±0.2	0.65±0.02	13.4±0.3
Malibu Filters KFSP.....	16.6±0.3	1.20±0.02	14.9±0.3
Malibu Menthol KFMSF.....	16.1±0.3	1.18±0.02	14.0±0.3
Malibu 100's 100FSP.....	14.3±0.5	1.12±0.03	13.7±0.5
Malibu Menthol 100's 100FMSF.....	11.5±0.3	0.93±0.02	12.1±0.4
Malibu Lights KFSP.....	9.6±0.2	0.76±0.01	10.2±0.3
Malibu Lights 100's 100FSP.....	8.9±0.2	0.75±0.02	10.5±0.2
Marlboro KFHP.....	16.8±0.3	1.17±0.02	14.5±0.4
Marlboro KFSP.....	16.8±0.3	1.18±0.02	15.1±0.3
Marlboro KFMSF.....	16.5±0.3	1.16±0.02	15.0±0.3
Marlboro 100's 100FHP.....	16.6±0.2	1.23±0.02	16.2±0.3
Marlboro 100's 100FSP.....	16.4±0.3	1.21±0.02	15.7±0.4
Marlboro 25's KFSP.....	17.1±0.3	1.21±0.02	15.4±0.3
Marlboro Lights KFHP.....	11.2±0.2	0.85±0.01	12.4±0.3
Marlboro Lights KFMHP.....	9.8±0.2	0.76±0.02	11.1±0.3
Marlboro Lights KFSP.....	11.3±0.3	0.86±0.02	11.8±0.3
Marlboro Lights 100's 100FHP.....	10.8±0.2	0.86±0.02	12.0±0.2

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Test Results**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Marlboro Lights 100's 100FMHP	10.0±0.2	0.81±0.01	11.3±0.2
Marlboro Lights 100's 100FSP	10.7±0.2	0.86±0.02	12.0±0.3
Marlboro Lights 25's KFSP	11.0±0.2	0.82±0.02	11.9±0.2
Marlboro 100's Red 100FHP	16.8±0.3	1.27±0.02	17.3±0.3
Marlboro 100's Red 100FSP	16.4±0.2	1.22±0.01	15.9±0.2
Max 120s 120FSP	17.2±0.2	1.32±0.02	18.6±0.4
Max 120s 120FMSP	16.9±0.4	1.32±0.03	17.6±0.5
Merit KFHP	7.7±0.3	0.62±0.02	10.1±0.3
Merit KFSP	7.8±0.1	0.63±0.01	10.2±0.3
Merit KFMSP	7.9±0.2	0.64±0.01	9.8±0.2
Merit 100's 100FSP	9.8±0.2	0.80±0.02	12.1±0.3
Merit 100's 100FMSP	9.7±0.2	0.78±0.02	11.4±0.3
Merit Ultra Lights KFHP	5.1±0.1	0.49±0.01	6.4±0.2
Merit Ultra Lights KFSP	4.8±0.2	0.46±0.02	6.3±0.1
Merit Ultra Lights KFMSP	4.8±0.1	0.46±0.01	6.2±0.2
Merit Ultra Lights 100's 100FHP	5.8±0.1	0.58±0.02	7.1±0.2
Merit Ultra Lights 100's 100FSP	5.3±0.2	0.53±0.01	7.1±0.2
Merit Ultra Lights 100's 100FMSP	5.2±0.2	0.51±0.01	7.2±0.3
More 120s 120FSP	17.0±0.2	1.21±0.02	21.8±0.3
More 120s 120FMSP	17.2±0.3	1.32±0.02	21.9±0.5
More Lights 100s 100FHP	10.4±0.3	0.84±0.02	11.1±0.3
More Lights 100s 100FMHP	9.5±0.2	0.72±0.01	10.8±0.2
More Lights 120s 120FSP	12.1±0.2	0.91±0.02	18.8±0.4
More Lights 120s 120FMSP	12.6±0.3	0.99±0.02	19.5±0.5
More White Lights 120s 120FSP	9.8±0.1	0.74±0.01	13.5±0.3
More White Lights 120s 120FMSP	10.3±0.2	0.81±0.02	14.8±0.3
Newport KFMHP	15.9±0.3	1.15±0.02	16.9±0.3
Newport KFMSP	16.9±0.2	1.23±0.02	17.7±0.3
Newport 100's 100FMHP	18.7±0.3	1.42±0.03	19.4±0.3
Newport 100's 100FMSP	18.0±0.3	1.37±0.02	18.7±0.4
Newport 25's KFMSP	17.1±0.2	1.24±0.02	18.1±0.2
Newport 25's 100's 100FMSP	19.2±0.2	1.45±0.02	19.4±0.3
Newport Lights KFMHP	8.3±0.1	0.72±0.01	9.2±0.2
Newport Lights KFMSP	8.1±0.3	0.72±0.02	9.0±0.3
Newport Lights 100's 100FMHP	8.7±0.2	0.81±0.02	9.2±0.3
Newport Lights 100's 100FMSP	8.7±0.4	0.80±0.03	9.2±0.4
Newport Stripes 100FHP	11.7±0.2	0.91±0.02	15.5±0.4
Newport Stripes 100FMHP	12.1±0.2	0.90±0.02	16.4±0.4
Newport Stripes Slim Lights 100FMHP	9.6±0.2	0.76±0.01	11.3±0.3
Now KFHP	< 0.5	< 0.05	< 0.5
Now KFSP	0.7±0.1	0.13±0.01	2.0±0.1
Now KFMSP	0.8±0.1	0.12±0.01	2.2±0.1
Now 100s 100FHP	< 0.5	< 0.05	< 0.5
Now 100s 100FSP	1.6±0.1	0.20±0.01	2.8±0.1
Now 100s 100FMSP	2.4±0.1	0.25±0.01	4.0±0.2
Old Gold Straights KNFSP	26.0±0.7	1.77±0.03	17.9±0.6
Old Gold Filters KFSP	17.2±0.3	1.25±0.02	18.2±0.5

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Test Results**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Old Gold Filter 100's 100FSP	18.4±0.3	1.39±0.02	19.2±0.3
Old Gold Lights KFSP	8.7±0.3	0.77±0.02	9.9±0.4
Old Gold Lights 100s 100FSP	12.0±0.2	0.92±0.02	16.4±0.3
Pall Mall KNFSP	24.7±0.6	1.65±0.04	16.3±0.5
Pall Mall 25's KNFSP	25.0±0.3	1.66±0.03	16.3±0.3
Pall Mall 100's 100FSP	17.5±0.2	1.34±0.02	17.2±0.2
Pall Mall Lights 100's 100FSP	10.3±0.3	0.85±0.02	11.8±0.3
Pall Mall Red Filters KFSP	15.2±0.4	1.13±0.03	13.6±0.3
Pall Mall Red Filters 100's 100FSP	15.6±0.3	1.17±0.02	14.9±0.3
Pall Mall Red Lights KFSP	10.2±0.2	0.82±0.01	10.5±0.2
Pall Mall Red Lights 100's 100FSP	9.3±0.2	0.79±0.01	9.6±0.2
Parliament Lights KFHP	9.2±0.2	0.74±0.01	9.9±0.3
Parliament Lights KFSP	9.4±0.2	0.76±0.01	10.7±0.3
Parliament Lights 100's 100FSP	12.2±0.2	1.02±0.02	12.8±0.3
*Philip Morris RNFSP	23.5±0.5	1.43±0.03	13.6±0.5
Philip Morris Commander KNFSP	26.1±0.4	1.65±0.03	16.1±0.5
Philip Morris International 100FHP	16.7±0.2	1.25±0.02	16.1±0.3
Philip Morris International 100FMHP	16.8±0.2	1.28±0.02	15.6±0.2
Players RNFHP	24.7±0.4	1.74±0.03	15.4±0.4
Players KFHP	12.0±0.3	0.87±0.02	12.6±0.3
Players KFMHP	11.8±0.2	0.86±0.01	12.6±0.2
Players 100's 100FHP	14.2±0.2	1.04±0.02	12.9±0.2
Players 100's 100FMHP	13.9±0.2	1.03±0.02	12.5±0.2
Players Lights 25's KFSP	10.4±0.1	0.77±0.01	11.3±0.2
Players Lights 25's KFMSP	10.1±0.2	0.74±0.02	11.2±0.2
Players 25's Lights 100's 100FSP	11.8±0.2	0.88±0.02	13.7±0.3
Players 25's Lights 100's 100FMSP	11.5±0.2	0.87±0.01	13.5±0.3
Prince KFSP	16.5±0.2	1.31±0.02	18.0±0.2
Prince Lights KFSP	12.3±0.3	1.08±0.02	12.4±0.3
Pyramid KNFSP	22.7±0.4	1.52±0.02	14.7±0.4
Pyramid Lights KFSP	13.5±0.2	1.06±0.02	12.9±0.3
Pyramid Lights 100's 100FSP	13.5±0.2	1.14±0.02	14.5±0.2
Pyramid Ultra Lights 100's 100FSP	5.6±0.1	0.57±0.01	5.1±0.1
Raleigh KNFSP	25.1±0.4	1.46±0.03	16.9±0.4
Raleigh KFSP	15.3±0.4	0.96±0.03	14.4±0.3
Raleigh 100's 100FSP	15.5±0.4	0.97±0.02	15.7±0.3
Raleigh Lights KFSP	11.4±0.3	0.89±0.02	12.5±0.3
Raleigh Lights 100's 100FSP	12.3±0.2	0.92±0.01	14.6±0.3
Richland 20's KFSP	17.2±0.4	1.18±0.02	16.2±0.3
Richland 20's KFMSP	16.1±0.3	1.05±0.02	15.5±0.4
Richland 20's 100's 100FSP	17.8±0.3	1.30±0.02	17.0±0.3
Richland 20's Menthol 100's 100FMSP	16.3±0.3	1.14±0.02	16.4±0.3
Richland 20's Lights KFSP	11.9±0.2	0.91±0.01	12.5±0.3
Richland 20's Lights 100's 100FSP	12.3±0.3	0.91±0.02	14.0±0.3
Richland (25) KFSP	16.8±0.3	1.16±0.02	16.1±0.4

*Retested brand

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Test Results**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Richland (25) KFMSP.....	16.5±0.4	1.08±0.02	15.8±0.4
Richland 100's (25) 100FSP.....	18.2±0.2	1.35±0.02	17.5±0.3
Richland Lights (25) KFSP.....	11.6±0.3	0.90±0.02	12.6±0.3
Richland Lights (25) 100's 100FSP.....	12.6±0.2	0.95±0.02	14.4±0.3
Ritz 100 100FHP.....	9.8±0.3	0.77±0.02	10.7±0.3
Ritz 100 100FMHP.....	10.8±0.2	0.78±0.01	11.0±0.3
Salem KFMSP.....	16.8±0.2	1.16±0.02	16.7±0.2
Salem 100's 100FMSP.....	16.4±0.3	1.15±0.02	16.0±0.4
Salem Lights KFMSP.....	9.4±0.2	0.70±0.01	12.0±0.3
Salem Lights 100's 100FMHP.....	10.8±0.2	0.83±0.01	11.3±0.3
Salem Lights 100's 100FMSP.....	8.2±0.2	0.68±0.02	10.0±0.2
Salem Slim Lights 100's 100FMHP.....	9.5±0.2	0.75±0.01	10.0±0.2
Salem Ultra Lights KFMSP.....	4.9±0.1	0.44±0.01	7.6±0.2
Salem Ultra Lights 100's 100FMSP.....	4.5±0.2	0.41±0.01	7.0±0.3
Saratoga 120's 120FHP.....	15.1±0.3	1.17±0.02	15.0±0.4
Saratoga 120's 120FMHP.....	14.8±0.2	1.13±0.02	14.3±0.3
Satin 100FSP.....	11.1±0.3	0.94±0.01	13.3±0.4
Satin 100FMSP.....	11.3±0.2	0.94±0.02	13.6±0.3
Savvy 100's Lights 100FSP.....	10.1±0.2	0.87±0.02	10.7±0.2
Savvy 100's Lights 100FMSP.....	10.3±0.2	0.88±0.02	10.9±0.2
Savvy Ultra Lights 100's 100FSP.....	5.2±0.2	0.54±0.01	5.2±0.1
Silva Thins Filters 100FHP.....	12.4±0.2	1.01±0.02	11.8±0.2
Silva Thins Menthol 100FMHP.....	12.3±0.2	0.99±0.02	11.9±0.3
Spring 100's 100FMSP.....	18.2±0.3	1.40±0.03	18.4±0.4
Tall 120s 120FSP.....	18.9±0.3	1.56±0.03	19.2±0.3
Tall 120s 120FMSP.....	18.4±0.3	1.57±0.03	17.5±0.3
Tareyton KFSP.....	14.2±0.3	0.99±0.02	15.6±0.3
Tareyton 100's 100FSP.....	13.9±0.2	1.02±0.02	16.7±0.3
Tareyton Lights KFSP.....	5.1±0.3	0.44±0.02	5.7±0.4
Tareyton Long Lights 100FSP.....	7.9±0.3	0.68±0.02	8.8±0.4
Triumph KFSP.....	2.8±0.2	0.30±0.01	3.6±0.2
Triumph KFMSP.....	3.4±0.2	0.35±0.02	4.4±0.3
Triumph 100s 100FSP.....	5.4±0.2	0.50±0.01	7.6±0.3
Triumph 100s 100FMSP.....	5.5±0.2	0.52±0.02	7.8±0.2
True KFSP.....	4.7±0.3	0.46±0.02	6.1±0.3
True KFMSP.....	4.6±0.2	0.46±0.01	6.1±0.2
True 100's 100FSP.....	6.2±0.3	0.60±0.02	7.0±0.3
True 100's 100FMSP.....	6.5±0.3	0.61±0.02	7.2±0.4
Vantage KFSP.....	10.3±0.1	0.73±0.01	13.4±0.2
Vantage KFMSP.....	9.8±0.2	0.68±0.01	12.2±0.2
Vantage 100s 100FSP.....	8.5±0.1	0.64±0.01	11.4±0.2
Vantage Menthol 100s 100FMSP.....	8.2±0.2	0.60±0.01	12.6±0.3
Vantage Excell 100's 100FSP.....	8.8±0.2	0.72±0.02	9.2±0.3
Vantage Ultra Lights KFSP.....	5.0±0.1	0.43±0.01	7.4±0.2
Vantage Ultra Lights 100s 100FSP.....	4.9±0.1	0.44±0.01	8.0±0.2
Viceroy KFSP.....	16.8±0.3	1.11±0.03	15.7±0.4
Viceroy Super Long 100's 100FSP.....	16.1±0.3	1.17±0.02	15.3±0.3

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Test Results**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Viceroy Lights KFSP	11.3±0.2	0.87±0.02	12.7±0.3
Viceroy Lights 100's 100FSP	12.0±0.3	0.92±0.02	13.8±0.3
Virginia Slims 100FSP	15.0±0.3	1.12±0.02	13.2±0.2
Virginia Slims 100FMSP	15.3±0.2	1.15±0.02	13.3±0.3
Virginia Slims Lights 100FHP	8.7±0.2	0.72±0.02	9.6±0.3
Virginia Slims Lights 100FMHP	8.6±0.2	0.71±0.01	9.6±0.2
Virginia Slims Lights 120's 120FHP	14.3±0.3	1.13±0.02	13.9±0.4
Virginia Slims Lights 120's 120FMHP	13.7±0.3	1.09±0.02	13.3±0.3
Virginia Slims Ultra Lights 100 100FHP	4.9±0.1	0.47±0.01	5.4±0.2
Virginia Slims Ultra Lights 100 100FMHP	4.8±0.2	0.45±0.02	5.2±0.2
Winston KFHP	16.8±0.3	1.05±0.02	15.8±0.3
Winston KFSP	16.6±0.3	1.11±0.02	16.2±0.3
Winston 100's 100FSP	17.1±0.2	1.05±0.01	19.1±0.3
Winston Lights KFHP	9.6±0.2	0.62±0.01	11.5±0.2
Winston Lights KFSP	9.5±0.2	0.66±0.02	11.4±0.2
Winston Lights 100's 100FHP	9.9±0.2	0.72±0.02	12.3±0.4
Winston Lights 100's 100FSP	11.1±0.2	0.79±0.01	12.7±0.2
Winston Ultra Lights KFSP	5.4±0.1	0.47±0.01	8.5±0.2
Winston Ultra Lights 100's 100FSP	4.8±0.1	0.43±0.01	8.3±0.2
Craven "A" KFHP	15.6±0.2	1.19±0.02	16.3±0.3
Craven "A" Filter Standard Size RFHP	18.7±0.4	1.54±0.03	14.1±0.3
Dunhill International 100FHP	16.9±0.2	1.56±0.03	17.3±0.3
Dunhill Menthol 100FMHP	14.8±0.2	1.26±0.02	17.1±0.2
Dunhill Menthol Mild 100FMHP	10.8±0.4	0.97±0.03	13.0±0.4
Dunhill International Superior Mild 100FHP	8.5±0.3	0.79±0.02	9.8±0.3
Rothmans KFHP	18.0±0.3	1.36±0.02	18.9±0.3
Rothmans Special Mild KFHP	14.1±0.3	1.11±0.02	15.9±0.2
St. Moritz Filter 100FSP	14.9±0.2	1.09±0.02	15.5±0.2
St. Moritz Menthol 100FMSP	14.2±0.3	0.93±0.02	16.0±0.4

**Tobacco Institute Testing Laboratory
Market Sample 32
Test Results - Rounded Values**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
*Alpine KFMSP	17	1.1	16
*Alpine 100s 100FMSP	15	1.1	15
Alpine Lights KFMSP	9	0.7	11
Alpine Lights 100's 100FMSP	9	0.8	11
American Filter King KFSP	16	1.2	14
American Filter 100's 100FSP	16	1.2	15
American Lights KFSP	12	0.9	13
American Lights 100's 100FSP	12	1.0	13
Belair KFMSP	10	0.8	10
Belair 100's 100FMSP	8	0.6	9
Benson & Hedges KFHP	15	1.2	13
Benson & Hedges 100's 100FHP	16	1.2	15
Benson & Hedges 100's 100FMHP	16	1.2	16
Benson & Hedges 100's 100FSP	17	1.2	17
Benson & Hedges 100's 100FMSP	16	1.2	16
Benson & Hedges Deluxe Ultra Lights 100's 100FHP	5	0.5	7
Benson & Hedges Deluxe Ultra Lights 100's 100FMHP	5	0.5	7
Benson & Hedges Lights 100's 100FHP	11	0.9	12
Benson & Hedges Lights 100's 100FMHP	10	0.8	11
Benson & Hedges Lights 100's 100FSP	11	0.8	13
Benson & Hedges Lights 100's 100FMSP	11	0.9	12
*Benson & Hedges Multifilter KFSP	11	0.9	11
Cambridge Full Flavor KFSP	17	1.1	16
Cambridge Full Flavor 100's 100FSP	17	1.2	17
Cambridge Lights KFSP	12	0.9	13
Cambridge Lights KFMSP	12	0.9	13
Cambridge Lights 100's 100FSP	12	0.9	14
Cambridge Lights 100's 100FMSP	12	0.9	14
Cambridge Ultra Low Tar 100s 100FSP	4	0.4	6
Camel RNFSP	22	1.4	14
Camel Filters KFHP	17	1.0	16
Camel Filters KFSP	15	1.0	14
Camel Filters 100's 100FSP	17	1.0	19
Camel Lights KFHP	9	0.6	12
Camel Lights KFSP	9	0.7	12
Camel Lights 100's 100FSP	11	0.8	14
Capri 100FHP	10	0.8	7
Capri 100FMHP	9	0.8	6
Capri 120's 120FHP	14	1.1	10
Capri 120's 120FMHP	12	1.0	8
Carlton Ultra KFHP	< 0.5	< 0.05	< 0.5
Carlton KFSP	1	0.1	2
Carlton KFMSP	< 0.5	0.1	1
Carlton 83 KFHP	1	0.1	2
Carlton 100's 100FHP	< 0.5	0.1	1

*Retested brand

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Test Results - Rounded Values**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Carlton 100's 100FMHP.....	< 0.5	0.1	1
Carlton 100's 100FSP.....	3	0.3	4
Carlton 100's 100FMSP.....	4	0.4	6
Carlton 120's 120FSP.....	6	0.6	6
Carlton 120's 120FMSP.....	6	0.6	5
Century 25's (25) KFSP.....	15	1.0	17
Century 25's 100's 100FSP.....	17	1.1	20
Century 25's Lights (25) KFSP.....	9	0.7	11
Century 25's Lights 100's 100FSP.....	12	0.9	13
Century 25's Lights 100's 100FMSP.....	11	0.8	13
Chesterfield RNFSP.....	20	1.3	13
Chesterfield KNFSP.....	24	1.6	15
Chesterfield Lights KFSP.....	10	0.8	12
Chesterfield Lights 100s 100FSP.....	10	0.9	11
Doral Full Flavor KFSP.....	16	1.0	17
Doral Full Flavor KFMSP.....	16	1.1	16
Doral Full Flavor 100's 100FSP.....	16	1.1	18
Doral Full Flavor 100's 100FMSP.....	16	1.1	17
Doral Lights KFSP.....	10	0.7	11
Doral Menthol Lights KFMSP.....	10	0.7	11
Doral Lights 100's 100FSP.....	10	0.8	10
Doral Menthol Lights 100's 100FMSP.....	11	0.9	11
Doral Ultra Lights 100's 100FSP.....	5	0.5	8
English Ovals KNFHP.....	23	1.8	15
Eve Slim Lights 100's 100FHP.....	13	1.0	11
Eve Slim Lights 100's 100FMHP.....	13	1.0	11
Eve Lights 120's 120FHP.....	13	1.1	11
Eve Lights 120's 120FMHP.....	13	1.1	11
Eve Ultra Lights 120's 120FHP.....	5	0.6	4
Eve Ultra Lights 120's 120FMHP.....	5	0.6	4
Falcon Lights KFSP.....	11	0.7	11
Falcon Lights KFMSP.....	10	0.8	12
Falcon Lights 100's 100FSP.....	11	0.8	14
Falcon Lights 100's 100FMSP.....	9	0.7	11
Harley Davidson KFSP.....	14	1.0	16
Herbert Tareyton KNFSP.....	25	1.6	18
Kent Golden Lights KFHP.....	8	0.7	9
Kent Golden Lights KFSP.....	8	0.7	8
Kent Golden Lights KFMSP.....	8	0.7	9
Kent Golden Lights 100s 100FHP.....	9	0.8	10
Kent Golden Lights 100s 100FSP.....	9	0.8	9
Kent Golden Lights 100s 100FMSP.....	10	0.9	10
Kent KFHP.....	11	0.8	13
Kent KFSP.....	12	0.9	14
Kent 100s 100FSP.....	14	1.0	15
Kent 100s 100FMSP.....	14	1.0	15
Kent III KFSP.....	3	0.3	5

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Test Results - Rounded Values**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Kent III 100s 100FHP.....	5	0.5	7
Kent III 100s 100FSP.....	5	0.4	7
Kool RNFMSF.....	22	1.4	15
Kool KFMHP.....	16	1.1	16
Kool KFMSF.....	17	1.2	16
Kool Super Longs 100's 100FMSP.....	17	1.3	17
Kool Lights KFMSF.....	8	0.7	9
Kool Lights 100's 100FMSP.....	9	0.7	10
Kool Milds KFMHP.....	11	0.9	11
Kool Milds KFMSF.....	12	0.9	13
Kool Milds 100's 100FMSP.....	12	0.9	13
Kool Ultra KFMSF.....	2	0.2	2
Kool Ultra 100's 100FMSP.....	5	0.4	5
L & M KFHP.....	14	1.1	13
L & M KFSP.....	14	1.0	13
L & M Super 100 100FSP.....	14	1.1	15
L & M Long Lights 100FSP.....	8	0.9	7
L & M 30's Lights 100's 100FSP.....	12	1.0	10
Lark KFSP.....	14	1.1	12
Lark 100FSP.....	14	1.2	14
Lark Lights KFSP.....	13	1.0	11
Lark Light 100's 100FSP.....	13	1.1	13
Lucky Strike RNFSP.....	25	1.6	17
Lucky Strike KFHP.....	12	0.9	13
Lucky Strike KFSP.....	12	0.9	13
Lucky Strike Filters 100's 100FSP.....	12	1.0	13
Lucky Strike Lights KFSP.....	8	0.7	10
Lucky Strike Lights 100's 100FSP.....	9	0.8	10
Magna KFHP.....	14	0.9	15
Magna KFSP.....	14	0.9	14
Magna Lites KFSP.....	9	0.7	13
Malibu Filters KFSP.....	17	1.2	15
Malibu Menthol KFMSF.....	16	1.2	14
Malibu 100's 100FSP.....	14	1.1	14
Malibu Menthol 100's 100FMSP.....	11	0.9	12
Malibu Lights KFSP.....	10	0.8	10
Malibu Lights 100's 100FSP.....	9	0.8	11
Marlboro KFHP.....	17	1.2	15
Marlboro KFSP.....	17	1.2	15
Marlboro KFMSF.....	16	1.2	15
Marlboro 100's 100FHP.....	17	1.2	16
Marlboro 100's 100FSP.....	16	1.2	16
Marlboro 25's KFSP.....	17	1.2	15
Marlboro Lights KFHP.....	11	0.9	12
Marlboro Lights KFMHP.....	10	0.8	11
Marlboro Lights KFSP.....	11	0.9	12
Marlboro Lights 100's 100FHP.....	11	0.9	12

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Test Results - Rounded Values**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Marlboro Lights 100's 100FMHP	10	0.8	11
Marlboro Lights 100's 100FSP	11	0.9	12
Marlboro Lights 25's KFSP	11	0.8	12
Marlboro 100's Red 100FHP	17	1.3	17
Marlboro 100's Red 100FSP	16	1.2	16
Max 120s 120FSP	17	1.3	19
Max 120s 120FMSP	17	1.3	18
Merit KFHP	8	0.6	10
Merit KFSP	8	0.6	10
Merit KFMSP	8	0.6	10
Merit 100's 100FSP	10	0.8	12
Merit 100's 100FMSP	10	0.8	11
Merit Ultra Lights KFHP	5	0.5	6
Merit Ultra Lights KFSP	5	0.5	6
Merit Ultra Lights KFMSP	5	0.5	6
Merit Ultra Lights 100's 100FHP	6	0.6	7
Merit Ultra Lights 100's 100FSP	5	0.5	7
Merit Ultra Lights 100's 100FMSP	5	0.5	7
More 120s 120FSP	17	1.2	22
More 120s 120FMSP	17	1.3	22
More Lights 100s 100FHP	10	0.8	11
More Lights 100s 100FMHP	9	0.7	11
More Lights 120s 120FSP	12	0.9	19
More Lights 120s 120FMSP	13	1.0	20
More White Lights 120s 120FSP	10	0.7	13
More White Lights 120s 120FMSP	10	0.8	15
Newport KFMHP	16	1.2	17
Newport KFMSP	17	1.2	18
Newport 100's 100FMHP	19	1.4	19
Newport 100's 100FMSP	18	1.4	19
Newport 25's KFMSP	17	1.2	18
Newport 25's 100's 100FMSP	19	1.4	19
Newport Lights KFMHP	8	0.7	9
Newport Lights KFMSP	8	0.7	9
Newport Lights 100's 100FMHP	9	0.8	9
Newport Lights 100's 100FMSP	9	0.8	9
Newport Stripes 100FHP	12	0.9	16
Newport Stripes 100FMHP	12	0.9	16
Newport Stripes Slim Lights 100FMHP	10	0.8	11
Now KFHP	< 0.5	< 0.05	< 0.5
Now KFSP	1	0.1	2
Now KFMSP	1	0.1	2
Now 100s 100FHP	< 0.5	< 0.05	< 0.5
Now 100s 100FSP	2	0.2	3
Now 100s 100FMSP	2	0.2	4
Old Gold Straights KNFSP	26	1.8	18
Old Gold Filters KFSP	17	1.2	18

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Test Results - Rounded Values**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Old Gold Filter 100's 100FSP.....	18	1.4	19
Old Gold Lights KFSP.....	9	0.8	10
Old Gold Lights 100s 100FSP.....	12	0.9	16
Pall Mall KNFSP.....	25	1.7	16
Pall Mall 25's KNFSP.....	25	1.7	16
Pall Mall 100's 100FSP.....	18	1.3	17
Pall Mall Lights 100's 100FSP.....	10	0.9	12
Pall Mall Red Filters KFSP.....	15	1.1	14
Pall Mall Red Filters 100's 100FSP.....	16	1.2	15
Pall Mall Red Lights KFSP.....	10	0.8	10
Pall Mall Red Lights 100's 100FSP.....	9	0.8	10
Parliament Lights KFHP.....	9	0.7	10
Parliament Lights KFSP.....	9	0.8	11
Parliament Lights 100's 100FSP.....	12	1.0	13
*Philip Morris RNFSP.....	24	1.4	13
Philip Morris Commander KNFSP.....	26	1.7	16
Philip Morris International 100FHP.....	17	1.2	16
Philip Morris International 100FMHP.....	17	1.3	16
Players RNFHP.....	25	1.7	15
Players KFHP.....	12	0.9	13
Players KFMHP.....	12	0.9	13
Players 100's 100FHP.....	14	1.0	13
Players 100's 100FMHP.....	14	1.0	12
Players Lights 25's KFSP.....	10	0.8	11
Players Lights 25's KFMSP.....	10	0.7	11
Players 25's Lights 100's 100FSP.....	12	0.9	14
Players 25's Lights 100's 100FMSP.....	11	0.9	13
Prince KFSP.....	16	1.3	18
Prince Lights KFSP.....	12	1.1	12
Pyramid KNFSP.....	23	1.5	15
Pyramid Lights KFSP.....	14	1.1	13
Pyramid Lights 100's 100FSP.....	13	1.1	14
Pyramid Ultra Lights 100's 100FSP.....	6	0.6	5
Raleigh KNFSP.....	25	1.5	17
Raleigh KFSP.....	15	1.0	14
Raleigh 100's 100FSP.....	16	1.0	16
Raleigh Lights KFSP.....	11	0.9	13
Raleigh Lights 100's 100FSP.....	12	0.9	15
Richland 20's KFSP.....	17	1.2	16
Richland 20's KFMSP.....	16	1.0	16
Richland 20's 100's 100FSP.....	18	1.3	17
Richland 20's Menthol 100's 100FMSP.....	16	1.1	16
Richland 20's Lights KFSP.....	12	0.9	13
Richland 20's Lights 100's 100FSP.....	12	0.9	14
Richland (25) KFSP.....	17	1.2	16

*Retested brand

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Test Results - Rounded Values**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Richland (25) KFMSP.....	16	1.1	16
Richland 100's (25) 100FSP.....	18	1.4	18
Richland Lights (25) KFSP.....	12	0.9	13
Richland Lights (25) 100's 100FSP.....	13	1.0	14
Ritz 100 100FHP.....	10	0.8	11
Ritz 100 100FMHP.....	11	0.8	11
Salem KFMSP.....	17	1.2	17
Salem 100's 100FMSP.....	16	1.2	16
Salem Lights KFMSP.....	9	0.7	12
Salem Lights 100's 100FMHP.....	11	0.8	11
Salem Lights 100's 100FMSP.....	8	0.7	10
Salem Slim Lights 100's 100FMHP.....	10	0.7	10
Salem Ultra Lights KFMSP.....	5	0.4	8
Salem Ultra Lights 100's 100FMSP.....	4	0.4	7
Saratoga 120's 120FHP.....	15	1.2	15
Saratoga 120's 120FMHP.....	15	1.1	14
Satin 100FSP.....	11	0.9	13
Satin 100FMSP.....	11	0.9	14
Savvy 100's Lights 100FSP.....	10	0.9	11
Savvy 100's Lights 100FMSP.....	10	0.9	11
Savvy Ultra Lights 100's 100FSP.....	5	0.5	5
Silva Thins Filters 100FHP.....	12	1.0	12
Silva Thins Menthol 100FMHP.....	12	1.0	12
Spring 100's 100FMSP.....	18	1.4	18
Tall 120s 120FSP.....	19	1.6	19
Tall 120s 120FMSP.....	18	1.6	17
Tareyton KFSP.....	14	1.0	16
Tareyton 100's 100FSP.....	14	1.0	17
Tareyton Lights KFSP.....	5	0.4	6
Tareyton Long Lights 100FSP.....	8	0.7	9
Triumph KFSP.....	3	0.3	4
Triumph KFMSP.....	3	0.4	4
Triumph 100s 100FSP.....	5	0.5	8
Triumph 100s 100FMSP.....	6	0.5	8
True KFSP.....	5	0.5	6
True KFMSP.....	5	0.5	6
True 100's 100FSP.....	6	0.6	7
True 100's 100FMSP.....	6	0.6	7
Vantage KFSP.....	10	0.7	13
Vantage KFMSP.....	10	0.7	12
Vantage 100s 100FSP.....	9	0.6	11
Vantage Menthol 100s 100FMSP.....	8	0.6	13
Vantage Excell 100's 100FSP.....	9	0.7	9
Vantage Ultra Lights KFSP.....	5	0.4	7
Vantage Ultra Lights 100s 100FSP.....	5	0.4	8
Viceroy KFSP.....	17	1.1	16
Viceroy Super Long 100's 100FSP.....	16	1.2	15

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Test Results - Rounded Values**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Viceroy Lights KFSP	11	0.9	13
Viceroy Lights 100's 100FSP	12	0.9	14
Virginia Slims 100FSP	15	1.1	13
Virginia Slims 100FMSP	15	1.2	13
Virginia Slims Lights 100FHP	9	0.7	10
Virginia Slims Lights 100FMHP	9	0.7	10
Virginia Slims Lights 120's 120FHP	14	1.1	14
Virginia Slims Lights 120's 120FMHP	14	1.1	13
Virginia Slims Ultra Lights 100 100FHP	5	0.5	5
Virginia Slims Ultra Lights 100 100FMHP	5	0.4	5
Winston KFHP	17	1.1	16
Winston KFSP	17	1.1	16
Winston 100's 100FSP	17	1.1	19
Winston Lights KFHP	10	0.6	12
Winston Lights KFSP	10	0.7	11
Winston Lights 100's 100FHP	10	0.7	12
Winston Lights 100's 100FSP	11	0.8	13
Winston Ultra Lights KFSP	5	0.5	8
Winston Ultra Lights 100's 100FSP	5	0.4	8
Craven "A" KFHP	16	1.2	16
Craven "A" Filter Standard Size RFHP	19	1.5	14
Dunhill International 100FHP	17	1.6	17
Dunhill Menthol 100FMHP	15	1.3	17
Dunhill Menthol Mild 100FMHP	11	1.0	13
Dunhill International Superior Mild 100FHP	9	0.8	10
Rothmans KFHP	18	1.4	19
Rothmans Special Mild KFHP	14	1.1	16
St. Moritz Filter 100FSP	15	1.1	16
St. Moritz Menthol 100FMSP	14	0.9	16

Appendix A

PM3001059896

Tobacco Institute Testing Laboratory
Market Sample 32
Test Results - American Tobacco Company Brands

Brand	Tar mg/cig	Nicotine mg/cig	CO mg/cig
American Filter King KFSP	16.4±0.2	1.15±0.01	14.5±0.3
American Filter 100's 100FSP	16.4±0.2	1.21±0.02	14.5±0.3
American Lights KFSP	12.0±0.2	0.91±0.01	12.7±0.2
American Lights 100's 100FSP	12.3±0.3	0.97±0.02	13.2±0.4
Carlton Ultra KFHP	< 0.5	< 0.05	< 0.5
Carlton KFSP	0.9±0.1	0.13±0.01	2.0±0.1
Carlton KFMSFP	< 0.5	0.09±0.01	1.3±0.1
Carlton 83 KFHP	0.7±0.1	0.12±0.01	1.6±0.1
Carlton 100's 100FHP	< 0.5	0.09±0.00	0.9±0.1
Carlton 100's 100FMHP	< 0.5	0.09±0.00	0.9±0.1
Carlton 100's 100FSP	2.7±0.1	0.29±0.01	3.8±0.2
Carlton 100's 100FMSP	4.4±0.2	0.42±0.01	6.2±0.2
Carlton 120's 120FSP	6.1±0.2	0.61±0.02	5.5±0.2
Carlton 120's 120FMSP	5.9±0.2	0.59±0.02	5.1±0.1
Herbert Tareyton KNFSP	25.3±1.0	1.57±0.03	17.6±0.4
Lucky Strike RNFSP	25.1±0.4	1.56±0.03	17.2±0.4
Lucky Strike KFHP	12.0±0.2	0.92±0.02	12.8±0.2
Lucky Strike KFSP	12.3±0.3	0.92±0.02	12.8±0.4
Lucky Strike Filters 100's 100FSP	12.4±0.3	0.96±0.02	13.0±0.3
Lucky Strike Lights KFSP	8.4±0.2	0.68±0.01	10.1±0.3
Lucky Strike Lights 100's 100FSP	8.9±0.2	0.76±0.02	9.8±0.3
Malibu Filters KFSP	16.6±0.3	1.20±0.02	14.9±0.3
Malibu Menthol KFMSFP	16.1±0.3	1.18±0.02	14.0±0.3
Malibu 100's 100FSP	14.3±0.5	1.12±0.03	13.7±0.5
Malibu Menthol 100's 100FMSP	11.5±0.3	0.93±0.02	12.1±0.4
Malibu Lights KFSP	9.6±0.2	0.76±0.01	10.2±0.3
Malibu Lights 100's 100FSP	8.9±0.2	0.75±0.02	10.5±0.2
Pall Mall KNFSP	24.7±0.6	1.65±0.04	16.3±0.5
Pall Mall 25's KNFSP	25.0±0.3	1.66±0.03	16.3±0.3
Pall Mall 100's 100FSP	17.5±0.2	1.34±0.02	17.2±0.2
Pall Mall Lights 100's 100FSP	10.3±0.3	0.85±0.02	11.8±0.3
Pall Mall Red Filters KFSP	15.2±0.4	1.13±0.03	13.6±0.3
Pall Mall Red Filters 100's 100FSP	15.6±0.3	1.17±0.02	14.9±0.3
Pall Mall Red Lights KFSP	10.2±0.2	0.82±0.01	10.5±0.2
Pall Mall Red Lights 100's 100FSP	9.3±0.2	0.79±0.01	9.6±0.2
Silva Thins Filters 100FHP	12.4±0.2	1.01±0.02	11.8±0.2
Silva Thins Menthol 100FMHP	12.3±0.2	0.99±0.02	11.9±0.3
Tall 120s 120FSP	18.9±0.3	1.56±0.03	19.2±0.3
Tall 120s 120FMSP	18.4±0.3	1.57±0.03	17.5±0.3
Tareyton KFSP	14.2±0.3	0.99±0.02	15.6±0.3
Tareyton 100's 100FSP	13.9±0.2	1.02±0.02	16.7±0.3
Tareyton Lights KFSP	5.1±0.3	0.44±0.02	5.7±0.4
Tareyton Long Lights 100FSP	7.9±0.3	0.68±0.02	8.8±0.4

Rev. 6/90

Tobacco Institute Testing Laboratory
Market Sample 32
Test Results - Brown & Williamson Brands

Brand	Tar mg/cig	Nicotine mg/cig	CO mg/cig
Belair KFMSP	10.5±0.2	0.82±0.02	9.6±0.2
Belair 100's 100FMSP	8.1±0.2	0.62±0.01	8.7±0.2
Capri 100FHP	9.6±0.2	0.80±0.02	6.5±0.2
Capri 100FMHP	9.5±0.2	0.75±0.02	6.3±0.2
Capri 120's 120FHP	14.0±0.2	1.12±0.02	9.8±0.3
Capri 120's 120FMHP	12.1±0.2	0.96±0.02	7.5±0.2
Falcon Lights KFSP	10.9±0.3	0.74±0.02	11.0±0.3
Falcon Lights KFMSP	10.4±0.3	0.79±0.02	12.0±0.4
Falcon Lights 100's 100FSP	11.2±0.3	0.79±0.02	14.2±0.4
Falcon Lights 100's 100FMSP	9.0±0.3	0.75±0.02	10.8±0.3
Kool RNFMSMSP	21.5±0.8	1.39±0.02	14.6±0.3
Kool KFMHP	15.9±0.4	1.09±0.02	15.6±0.4
Kool KFMSP	17.0±0.3	1.19±0.03	16.0±0.4
Kool Super Longs 100's 100FMSP	17.2±0.3	1.27±0.03	16.9±0.3
Kool Lights KFMSP	8.1±0.2	0.67±0.02	9.0±0.2
Kool Lights 100's 100FMSP	8.7±0.3	0.74±0.02	10.0±0.4
Kool Milds KFMHP	11.5±0.2	0.87±0.01	11.4±0.2
Kool Milds KFMSP	12.2±0.2	0.94±0.03	12.6±0.2
Kool Milds 100's 100FMSP	12.1±0.3	0.95±0.02	13.0±0.3
Kool Ultra KFMSP	1.8±0.1	0.18±0.01	2.1±0.1
Kool Ultra 100's 100FMSP	4.8±0.2	0.43±0.02	5.0±0.2
Prince KFSP	16.5±0.2	1.31±0.02	18.0±0.2
Prince Lights KFSP	12.3±0.3	1.08±0.02	12.4±0.3
Raleigh KNFSP	25.1±0.4	1.46±0.03	16.9±0.4
Raleigh KFSP	15.3±0.4	0.96±0.03	14.4±0.3
Raleigh 100's 100FSP	15.5±0.4	0.97±0.02	15.7±0.3
Raleigh Lights KFSP	11.4±0.3	0.89±0.02	12.5±0.3
Raleigh Lights 100's 100FSP	12.3±0.2	0.92±0.01	14.6±0.3
Richland 20's KFSP	17.2±0.4	1.18±0.02	16.2±0.3
Richland 20's KFMSP	16.1±0.3	1.05±0.02	15.5±0.4
Richland 20's 100's 100FSP	17.8±0.3	1.30±0.02	17.0±0.3
Richland 20's Menthol 100's 100FMSP	16.3±0.3	1.14±0.02	16.4±0.3
Richland 20's Lights KFSP	11.9±0.2	0.91±0.01	12.5±0.3
Richland 20's Lights 100's 100FSP	12.3±0.3	0.91±0.02	14.0±0.3
Richland (25) KFSP	16.8±0.3	1.16±0.02	16.1±0.4
Richland (25) KFMSP	16.5±0.4	1.08±0.02	15.8±0.4
Richland 100's (25) 100FSP	18.2±0.2	1.35±0.02	17.5±0.3
Richland Lights (25) KFSP	11.6±0.3	0.90±0.02	12.6±0.3
Richland Lights (25) 100's 100FSP	12.6±0.2	0.95±0.02	14.4±0.3
Viceroy KFSP	16.8±0.3	1.11±0.03	15.7±0.4
Viceroy Super Long 100's 100FSP	16.1±0.3	1.17±0.02	15.3±0.3
Viceroy Lights KFSP	11.3±0.2	0.87±0.02	12.7±0.3
Viceroy Lights 100's 100FSP	12.0±0.3	0.92±0.02	13.8±0.3

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Test Results - Liggett Group Brands**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Chesterfield RNFSP	19.7±0.4	1.26±0.03	12.6±0.3
Chesterfield KNFSP	23.5±0.5	1.58±0.04	14.8±0.4
Chesterfield Lights KFSP	10.0±0.2	0.79±0.01	11.6±0.2
Chesterfield Lights 100's 100FSP	10.3±0.2	0.86±0.01	11.3±0.3
Eve Slim Lights 100's 100FHP	12.7±0.2	1.03±0.02	10.9±0.2
Eve Slim Lights 100's 100FMHP	12.9±0.3	1.03±0.02	10.7±0.3
Eve Lights 120's 120FHP	12.8±0.3	1.11±0.02	11.4±0.3
Eve Lights 120's 120FMHP	13.0±0.2	1.14±0.03	11.5±0.3
Eve Ultra Lights 120's 120FHP	5.4±0.2	0.58±0.02	4.0±0.1
Eve Ultra Lights 120's 120FMHP	5.3±0.2	0.58±0.02	3.9±0.2
L & M KFHP	13.6±0.2	1.07±0.02	12.9±0.2
L & M KFSP	13.6±0.3	1.05±0.02	13.0±0.3
L & M Super 100 100FSP	13.7±0.2	1.09±0.02	14.6±0.3
L & M Long Lights 100FSP	8.2±0.3	0.85±0.02	6.8±0.2
L & M 30's Lights 100's 100FSP	11.9±0.2	1.01±0.02	9.9±0.3
Lark KFSP	14.0±0.2	1.08±0.02	12.3±0.2
Lark 100FSP	14.4±0.2	1.17±0.02	13.6±0.2
Lark Lights KFSP	12.6±0.3	1.01±0.03	11.4±0.3
Lark Light 100's 100FSP	13.0±0.3	1.07±0.02	12.5±0.4
Pyramid KNFSP	22.7±0.4	1.52±0.02	14.7±0.4
Pyramid Lights KFSP	13.5±0.2	1.06±0.02	12.9±0.3
Pyramid Lights 100's 100FSP	13.5±0.2	1.14±0.02	14.5±0.2
Pyramid Ultra Lights 100's 100FSP	5.6±0.1	0.57±0.01	5.1±0.1
Savvy 100's Lights 100FSP	10.1±0.2	0.87±0.02	10.7±0.2
Savvy 100's Lights 100FMSP	10.3±0.2	0.88±0.02	10.9±0.2
Savvy Ultra Lights 100's 100FSP	5.2±0.2	0.54±0.01	5.2±0.1

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Test Results - Lorillard Brands**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Harley Davidson KFSP	13.9±0.1	0.99±0.01	16.0±0.2
Kent Golden Lights KFHP	8.1±0.2	0.71±0.02	9.2±0.3
Kent Golden Lights KFSP	7.6±0.2	0.69±0.02	8.5±0.3
Kent Golden Lights KFMSP	8.1±0.3	0.73±0.02	8.9±0.4
Kent Golden Lights 100s 100FHP	8.9±0.3	0.83±0.03	9.7±0.4
Kent Golden Lights 100s 100FSP	8.7±0.3	0.80±0.02	9.2±0.5
Kent Golden Lights 100s 100FMSP	9.7±0.4	0.88±0.03	10.5±0.5
Kent KFHP	11.1±0.2	0.82±0.01	12.6±0.2
Kent KFSP	11.8±0.3	0.87±0.02	13.6±0.4
Kent 100s 100FSP	13.9±0.3	1.03±0.02	15.1±0.3
Kent 100s 100FMSP	14.1±0.3	1.04±0.02	14.9±0.3
Kent III KFSP	3.4±0.2	0.34±0.01	4.6±0.2
Kent III 100s 100FHP	4.9±0.2	0.47±0.01	7.2±0.2
Kent III 100s 100FSP	4.7±0.1	0.44±0.01	7.1±0.2
Max 120s 120FSP	17.2±0.2	1.32±0.02	18.6±0.4
Max 120s 120FMSP	16.9±0.4	1.32±0.03	17.6±0.5
Newport KFMHP	15.9±0.3	1.15±0.02	16.9±0.3
Newport KFMSP	16.9±0.2	1.23±0.02	17.7±0.3
Newport 100's 100FMHP	18.7±0.3	1.42±0.03	19.4±0.3
Newport 100's 100FMSP	18.0±0.3	1.37±0.02	18.7±0.4
Newport 25's KFMSP	17.1±0.2	1.24±0.02	18.1±0.2
Newport 25's 100's 100FMSP	19.2±0.2	1.45±0.02	19.4±0.3
Newport Lights KFMHP	8.3±0.1	0.72±0.01	9.2±0.2
Newport Lights KFMSP	8.1±0.3	0.72±0.02	9.0±0.3
Newport Lights 100's 100FMHP	8.7±0.2	0.81±0.02	9.2±0.3
Newport Lights 100's 100FMSP	8.7±0.4	0.80±0.03	9.2±0.4
Newport Stripes 100FHP	11.7±0.2	0.91±0.02	15.5±0.4
Newport Stripes 100FMHP	12.1±0.2	0.90±0.02	16.4±0.4
Newport Stripes Slim Lights 100FMHP	9.6±0.2	0.76±0.01	11.3±0.3
Old Gold Straights KNFSP	26.0±0.7	1.77±0.03	17.9±0.6
Old Gold Filters KFSP	17.2±0.3	1.25±0.02	18.2±0.5
Old Gold Filter 100's 100FSP	18.4±0.3	1.39±0.02	19.2±0.3
Old Gold Lights KFSP	8.7±0.3	0.77±0.02	9.9±0.4
Old Gold Lights 100s 100FSP	12.0±0.2	0.92±0.02	16.4±0.3
Satin 100FSP	11.1±0.3	0.94±0.01	13.3±0.4
Satin 100FMSP	11.3±0.2	0.94±0.02	13.6±0.3
Spring 100's 100FMSP	18.2±0.3	1.40±0.03	18.4±0.4
Triumph KFSP	2.8±0.2	0.30±0.01	3.6±0.2
Triumph KFMSP	3.4±0.2	0.35±0.02	4.4±0.3
Triumph 100s 100FSP	5.4±0.2	0.50±0.01	7.6±0.3
Triumph 100s 100FMSP	5.5±0.2	0.52±0.02	7.8±0.2
True KFSP	4.7±0.3	0.46±0.02	6.1±0.3
True KFMSP	4.6±0.2	0.46±0.01	6.1±0.2
True 100's 100FSP	6.2±0.3	0.60±0.02	7.0±0.3
True 100's 100FMSP	6.5±0.3	0.61±0.02	7.2±0.4

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Test Results - Philip Morris Brands**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
*Alpine KFMSP	17.0±0.3	1.14±0.02	16.0±0.3
*Alpine 100s 100FMSP	15.4±0.3	1.13±0.02	14.6±0.3
Alpine Lights KFMSP	9.3±0.2	0.74±0.02	10.6±0.2
Alpine Lights 100's 100FMSP	9.5±0.1	0.78±0.01	11.2±0.2
Benson & Hedges KFHP	15.4±0.4	1.25±0.03	12.5±0.4
Benson & Hedges 100's 100FHP	16.4±0.2	1.22±0.02	15.3±0.2
Benson & Hedges 100's 100FMHP	16.5±0.3	1.21±0.02	15.6±0.3
Benson & Hedges 100's 100FSP	16.9±0.3	1.24±0.02	16.8±0.3
Benson & Hedges 100's 100FMSP	15.8±0.2	1.16±0.02	15.9±0.3
Benson & Hedges Deluxe Ultra Lights 100's 100FHP	5.2±0.2	0.48±0.01	6.6±0.2
Benson & Hedges Deluxe Ultra Lights 100's 100FMHP	5.1±0.2	0.47±0.01	6.8±0.2
Benson & Hedges Lights 100's 100FHP	10.8±0.2	0.85±0.02	11.6±0.4
Benson & Hedges Lights 100's 100FMHP	10.2±0.2	0.80±0.02	11.5±0.2
Benson & Hedges Lights 100's 100FSP	10.6±0.3	0.84±0.03	12.8±0.4
Benson & Hedges Lights 100's 100FMSP	10.6±0.2	0.86±0.02	11.7±0.3
*Benson & Hedges Multifilter KFSP	11.3±0.2	0.90±0.02	11.1±0.3
Cambridge Full Flavor KFSP	17.5±0.3	1.14±0.02	15.9±0.2
Cambridge Full Flavor 100's 100FSP	17.3±0.3	1.19±0.02	16.6±0.4
Cambridge Lights KFSP	12.4±0.2	0.89±0.02	12.7±0.2
Cambridge Lights KFMSP	12.0±0.3	0.87±0.02	13.0±0.4
Cambridge Lights 100's 100FSP	11.7±0.2	0.88±0.01	13.6±0.3
Cambridge Lights 100's 100FMSP	11.5±0.2	0.88±0.01	13.6±0.3
Cambridge Ultra Low Tar 100s 100FSP	4.0±0.2	0.38±0.01	6.0±0.2
English Ovals KNFHP	23.5±0.4	1.83±0.04	15.3±0.4
Marlboro KFHP	16.8±0.3	1.17±0.02	14.5±0.4
Marlboro KFSP	16.8±0.3	1.18±0.02	15.1±0.3
Marlboro KFMSP	16.5±0.3	1.16±0.02	15.0±0.3
Marlboro 100's 100FHP	16.6±0.2	1.23±0.02	16.2±0.3
Marlboro 100's 100FSP	16.4±0.3	1.21±0.02	15.7±0.4
Marlboro 25's KFSP	17.1±0.3	1.21±0.02	15.4±0.3
Marlboro Lights KFHP	11.2±0.2	0.85±0.01	12.4±0.3
Marlboro Lights KFMHP	9.8±0.2	0.76±0.02	11.1±0.3
Marlboro Lights KFSP	11.3±0.3	0.86±0.02	11.8±0.3
Marlboro Lights 100's 100FHP	10.8±0.2	0.86±0.02	12.0±0.2
Marlboro Lights 100's 100FMHP	10.0±0.2	0.81±0.01	11.3±0.2
Marlboro Lights 100's 100FSP	10.7±0.2	0.86±0.02	12.0±0.3
Marlboro Lights 25's KFSP	11.0±0.2	0.82±0.02	11.9±0.2
Marlboro 100's Red 100FHP	16.8±0.3	1.27±0.02	17.3±0.3
Marlboro 100's Red 100FSP	16.4±0.2	1.22±0.01	15.9±0.2
Merit KFHP	7.7±0.3	0.62±0.02	10.1±0.3
Merit KFSP	7.8±0.1	0.63±0.01	10.2±0.3
Merit KFMSP	7.9±0.2	0.64±0.01	9.8±0.2
Merit 100's 100FSP	9.8±0.2	0.80±0.02	12.1±0.3
Merit 100's 100FMSP	9.7±0.2	0.78±0.02	11.4±0.3
Merit Ultra Lights KFHP	5.1±0.1	0.49±0.01	6.4±0.2

*Retested brand

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Test Results - Philip Morris Brands**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Merit Ultra Lights KFSP	4.8±0.2	0.46±0.02	6.3±0.1
Merit Ultra Lights KFMSP	4.8±0.1	0.46±0.01	6.2±0.2
Merit Ultra Lights 100's 100FHP	5.8±0.1	0.58±0.02	7.1±0.2
Merit Ultra Lights 100's 100FSP	5.3±0.2	0.53±0.01	7.1±0.2
Merit Ultra Lights 100's 100FMSP	5.2±0.2	0.51±0.01	7.2±0.3
Parliament Lights KFHP	9.2±0.2	0.74±0.01	9.9±0.3
Parliament Lights KFSP	9.4±0.2	0.76±0.01	10.7±0.3
Parliament Lights 100's 100FSP	12.2±0.2	1.02±0.02	12.8±0.3
*Philip Morris RNFSP	23.5±0.5	1.43±0.03	13.6±0.5
Philip Morris Commander KNFSP	26.1±0.4	1.65±0.03	16.1±0.5
Philip Morris International 100FHP	16.7±0.2	1.25±0.02	16.1±0.3
Philip Morris International 100FMHP	16.8±0.2	1.28±0.02	15.6±0.2
Players RNFHP	24.7±0.4	1.74±0.03	15.4±0.4
Players KFHP	12.0±0.3	0.87±0.02	12.6±0.3
Players KFMHP	11.8±0.2	0.86±0.01	12.6±0.2
Players 100's 100FHP	14.2±0.2	1.04±0.02	12.9±0.2
Players 100's 100FMHP	13.9±0.2	1.03±0.02	12.5±0.2
Players Lights 25's KFSP	10.4±0.1	0.77±0.01	11.3±0.2
Players Lights 25's KFMSP	10.1±0.2	0.74±0.02	11.2±0.2
Players 25's Lights 100's 100FSP	11.8±0.2	0.88±0.02	13.7±0.3
Players 25's Lights 100's 100FMSP	11.5±0.2	0.87±0.01	13.5±0.3
Saratoga 120's 120FHP	15.1±0.3	1.17±0.02	15.0±0.4
Saratoga 120's 120FMHP	14.8±0.2	1.13±0.02	14.3±0.3
Virginia Slims 100FSP	15.0±0.3	1.12±0.02	13.2±0.2
Virginia Slims 100FMSP	15.3±0.2	1.15±0.02	13.3±0.3
Virginia Slims Lights 100FHP	8.7±0.2	0.72±0.02	9.6±0.3
Virginia Slims Lights 100FMHP	8.6±0.2	0.71±0.01	9.6±0.2
Virginia Slims Lights 120's 120FHP	14.3±0.3	1.13±0.02	13.9±0.4
Virginia Slims Lights 120's 120FMHP	13.7±0.3	1.09±0.02	13.3±0.3
Virginia Slims Ultra Lights 100 100FHP	4.9±0.1	0.47±0.01	5.4±0.2
Virginia Slims Ultra Lights 100 100FMHP	4.8±0.2	0.45±0.02	5.2±0.2

*Retested brand

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Test Results - R.J. Reynolds Brands**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Camel RNFSF	22.5±0.4	1.42±0.03	14.0±0.3
Camel Filters KFHP	16.9±0.3	1.04±0.02	16.1±0.3
Camel Filters KFSP	14.8±0.2	0.96±0.02	14.3±0.3
Camel Filters 100's 100FSP	17.3±0.2	1.04±0.02	18.9±0.3
Camel Lights KFHP	9.4±0.2	0.62±0.01	11.6±0.2
Camel Lights KFSP	9.4±0.1	0.66±0.01	11.9±0.2
Camel Lights 100's 100FSP	11.0±0.2	0.78±0.01	13.7±0.3
Century 25's (25) KFSP	15.1±0.3	0.97±0.02	17.4±0.4
Century 25's 100's 100FSP	17.2±0.2	1.14±0.02	20.4±0.3
Century 25's Lights (25) KFSP	9.4±0.2	0.68±0.01	11.0±0.3
Century 25's Lights 100's 100FSP	11.5±0.2	0.89±0.02	13.0±0.3
Century 25's Lights 100's 100FMSP	11.1±0.3	0.82±0.02	12.5±0.4
Doral Full Flavor KFSP	16.2±0.3	1.02±0.03	16.5±0.4
Doral Full Flavor KFMSP	16.3±0.2	1.09±0.02	16.1±0.3
Doral Full Flavor 100's 100FSP	16.2±0.3	1.11±0.03	18.1±0.4
Doral Full Flavor 100's 100FMSP	15.8±0.2	1.13±0.02	17.3±0.2
Doral Lights KFSP	9.8±0.2	0.72±0.02	11.2±0.3
Doral Menthol Lights KFMSP	10.0±0.3	0.73±0.02	11.4±0.4
Doral Lights 100's 100FSP	10.3±0.3	0.83±0.02	10.5±0.4
Doral Menthol Lights 100's 100FMSP	10.9±0.2	0.88±0.02	11.2±0.3
Doral Ultra Lights 100's 100FSP	4.9±0.2	0.46±0.01	7.8±0.3
Magna KFHP	13.9±0.2	0.89±0.02	14.9±0.3
Magna KFSP	13.5±0.2	0.93±0.01	13.9±0.3
Magna Lites KFSP	9.4±0.2	0.65±0.02	13.4±0.3
More 120s 120FSP	17.0±0.2	1.21±0.02	21.8±0.3
More 120s 120FMSP	17.2±0.3	1.32±0.02	21.9±0.5
More Lights 100s 100FHP	10.4±0.3	0.84±0.02	11.1±0.3
More Lights 100s 100FMHP	9.5±0.2	0.72±0.01	10.8±0.2
More Lights 120s 120FSP	12.1±0.2	0.91±0.02	18.8±0.4
More Lights 120s 120FMSP	12.6±0.3	0.99±0.02	19.5±0.5
More White Lights 120s 120FSP	9.8±0.1	0.74±0.01	13.5±0.3
More White Lights 120s 120FMSP	10.3±0.2	0.81±0.02	14.8±0.3
Now KFHP	< 0.5	< 0.05	< 0.5
Now KFSP	0.7±0.1	0.13±0.01	2.0±0.1
Now KFMSP	0.8±0.1	0.12±0.01	2.2±0.1
Now 100s 100FHP	< 0.5	< 0.05	< 0.5
Now 100s 100FSP	1.6±0.1	0.20±0.01	2.8±0.1
Now 100s 100FMSP	2.4±0.1	0.25±0.01	4.0±0.2
Ritz 100 100FHP	9.8±0.3	0.77±0.02	10.7±0.3
Ritz 100 100FMHP	10.8±0.2	0.78±0.01	11.0±0.3
Salem KFMSP	16.8±0.2	1.16±0.02	16.7±0.2
Salem 100's 100FMSP	16.4±0.3	1.15±0.02	16.0±0.4
Salem Lights KFMSP	9.4±0.2	0.70±0.01	12.0±0.3
Salem Lights 100's 100FMHP	10.8±0.2	0.83±0.01	11.3±0.3
Salem Lights 100's 100FMSP	8.2±0.2	0.68±0.02	10.0±0.2
Salem Slim Lights 100's 100FMHP	9.5±0.2	0.75±0.01	10.0±0.2
Salem Ultra Lights KFMSP	4.9±0.1	0.44±0.01	7.6±0.2

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Test Results - R.J. Reynolds Brands**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Salem Ultra Lights 100's 100FMSP	4.5±0.2	0.41±0.01	7.0±0.3
Vantage KFSP	10.3±0.1	0.73±0.01	13.4±0.2
Vantage KFMSP	9.8±0.2	0.68±0.01	12.2±0.2
Vantage 100s 100FSP	8.5±0.1	0.64±0.01	11.4±0.2
Vantage Menthol 100s 100FMSP	8.2±0.2	0.60±0.01	12.6±0.3
Vantage Excell 100's 100FSP	8.8±0.2	0.72±0.02	9.2±0.3
Vantage Ultra Lights KFSP	5.0±0.1	0.43±0.01	7.4±0.2
Vantage Ultra Lights 100s 100FSP	4.9±0.1	0.44±0.01	8.0±0.2
Winston KFHP	16.8±0.3	1.05±0.02	15.8±0.3
Winston KFSP	16.6±0.3	1.11±0.02	16.2±0.3
Winston 100's 100FSP	17.1±0.2	1.05±0.01	19.1±0.3
Winston Lights KFHP	9.6±0.2	0.62±0.01	11.5±0.2
Winston Lights KFSP	9.5±0.2	0.66±0.02	11.4±0.2
Winston Lights 100's 100FHP	9.9±0.2	0.72±0.02	12.3±0.4
Winston Lights 100's 100FSP	11.1±0.2	0.79±0.01	12.7±0.2
Winston Ultra Lights KFSP	5.4±0.1	0.47±0.01	8.5±0.2
Winston Ultra Lights 100's 100FSP	4.8±0.1	0.43±0.01	8.3±0.2

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Test Results - Larus & Brother Brands**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Craven "A" KFHP	15.6±0.2	1.19±0.02	16.3±0.3
Craven "A" Filter Standard Size RFHP	18.7±0.4	1.54±0.03	14.1±0.3
Dunhill International 100FHP.....	16.9±0.2	1.56±0.03	17.3±0.3
Dunhill Menthol 100FMHP	14.8±0.2	1.26±0.02	17.1±0.2
Dunhill Menthol Mild 100FMHP	10.8±0.4	0.97±0.03	13.0±0.4
Dunhill International Superior Mild 100FHP.....	8.5±0.3	0.79±0.02	9.8±0.3
Rothmans KFHP.....	18.0±0.3	1.36±0.02	18.9±0.3
Rothmans Special Mild KFHP.....	14.1±0.3	1.11±0.02	15.9±0.2
St. Moritz Filter 100FSP.....	14.9±0.2	1.09±0.02	15.5±0.2
St. Moritz Menthol 100FMSP	14.2±0.3	0.93±0.02	16.0±0.4

Appendix B

PM3001059906

**Tobacco Institute Testing Laboratory
Market Sample 32
Sorted "Tar" Results**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Carlton KFMSP.....	< 0.5	0.09±0.01	1.3±0.1
Carlton 100's 100FHP.....	< 0.5	0.09±0.00	0.9±0.1
Carlton 100's 100FMHP.....	< 0.5	0.09±0.00	0.9±0.1
Carlton Ultra KFHP.....	< 0.5	< 0.05	< 0.5
Now KFHP.....	< 0.5	< 0.05	< 0.5
Now 100s 100FHP.....	< 0.5	< 0.05	< 0.5
Carlton 83 KFHP.....	0.7±0.1	0.12±0.01	1.6±0.1
Now KFSP.....	0.7±0.1	0.13±0.01	2.0±0.1
Now KFMSP.....	0.8±0.1	0.12±0.01	2.2±0.1
Carlton KFSP.....	0.9±0.1	0.13±0.01	2.0±0.1
Now 100s 100FSP.....	1.6±0.1	0.20±0.01	2.8±0.1
Kool Ultra KFMSP.....	1.8±0.1	0.18±0.01	2.1±0.1
Now 100s 100FMSP.....	2.4±0.1	0.25±0.01	4.0±0.2
Carlton 100's 100FSP.....	2.7±0.1	0.29±0.01	3.8±0.2
Triumph KFSP.....	2.8±0.2	0.30±0.01	3.6±0.2
Kent III KFSP.....	3.4±0.2	0.34±0.01	4.6±0.2
Triumph KFMSP.....	3.4±0.2	0.35±0.02	4.4±0.3
Cambridge Ultra Low Tar 100s 100FSP.....	4.0±0.2	0.38±0.01	6.0±0.2
Carlton 100's 100FMSP.....	4.4±0.2	0.42±0.01	6.2±0.2
Salem Ultra Lights 100's 100FMSP.....	4.5±0.2	0.41±0.01	7.0±0.3
True KFMSP.....	4.6±0.2	0.46±0.01	6.1±0.2
True KFSP.....	4.7±0.3	0.46±0.02	6.1±0.3
Kent III 100s 100FSP.....	4.7±0.1	0.44±0.01	7.1±0.2
Virginia Slims Ultra Lights 100 100FMHP.....	4.8±0.2	0.45±0.02	5.2±0.2
Merit Ultra Lights KFMSP.....	4.8±0.1	0.46±0.01	6.2±0.2
Merit Ultra Lights KFSP.....	4.8±0.2	0.46±0.02	6.3±0.1
Winston Ultra Lights 100's 100FSP.....	4.8±0.1	0.43±0.01	8.3±0.2
Kool Ultra 100's 100FMSP.....	4.8±0.2	0.43±0.02	5.0±0.2
Salem Ultra Lights KFMSP.....	4.9±0.1	0.44±0.01	7.6±0.2
Kent III 100s 100FHP.....	4.9±0.2	0.47±0.01	7.2±0.2
Virginia Slims Ultra Lights 100 100FHP.....	4.9±0.1	0.47±0.01	5.4±0.2
Doral Ultra Lights 100's 100FSP.....	4.9±0.2	0.46±0.01	7.8±0.3
Vantage Ultra Lights 100s 100FSP.....	4.9±0.1	0.44±0.01	8.0±0.2
Vantage Ultra Lights KFSP.....	5.0±0.1	0.43±0.01	7.4±0.2
Merit Ultra Lights KFHP.....	5.1±0.1	0.49±0.01	6.4±0.2
Tareyton Lights KFSP.....	5.1±0.3	0.44±0.02	5.7±0.4
Benson & Hedges Deluxe Ultra Lights 100's 100FMHP.....	5.1±0.2	0.47±0.01	6.8±0.2
Merit Ultra Lights 100's 100FMSP.....	5.2±0.2	0.51±0.01	7.2±0.3
Savvy Ultra Lights 100's 100FSP.....	5.2±0.2	0.54±0.01	5.2±0.1
Benson & Hedges Deluxe Ultra Lights 100's 100FHP.....	5.2±0.2	0.48±0.01	6.6±0.2
Eve Ultra Lights 120's 120FMHP.....	5.3±0.2	0.58±0.02	3.9±0.2
Merit Ultra Lights 100's 100FSP.....	5.3±0.2	0.53±0.01	7.1±0.2
Triumph 100s 100FSP.....	5.4±0.2	0.50±0.01	7.6±0.3
Eve Ultra Lights 120's 120FHP.....	5.4±0.2	0.58±0.02	4.0±0.1
Winston Ultra Lights KFSP.....	5.4±0.1	0.47±0.01	8.5±0.2
Triumph 100s 100FMSP.....	5.5±0.2	0.52±0.02	7.8±0.2
Pyramid Ultra Lights 100's 100FSP.....	5.6±0.1	0.57±0.01	5.1±0.1

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Sorted "Tar" Results**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Merit Ultra Lights 100's 100FHP.....	5.8±0.1	0.58±0.02	7.1±0.2
Carlton 120's 120FMSP.....	5.9±0.2	0.59±0.02	5.1±0.1
Carlton 120's 120FSP.....	6.1±0.2	0.61±0.02	5.5±0.2
True 100's 100FSP.....	6.2±0.3	0.60±0.02	7.0±0.3
True 100's 100FMSP.....	6.5±0.3	0.61±0.02	7.2±0.4
Kent Golden Lights KFSP.....	7.6±0.2	0.69±0.02	8.5±0.3
Merit KFHP.....	7.7±0.3	0.62±0.02	10.1±0.3
Merit KFSP.....	7.8±0.1	0.63±0.01	10.2±0.3
Merit KFMSP.....	7.9±0.2	0.64±0.01	9.8±0.2
Tareyton Long Lights 100FSP.....	7.9±0.3	0.68±0.02	8.8±0.4
Kent Golden Lights KFHP.....	8.1±0.2	0.71±0.02	9.2±0.3
Kool Lights KFMSP.....	8.1±0.2	0.67±0.02	9.0±0.2
Newport Lights KFMSP.....	8.1±0.3	0.72±0.02	9.0±0.3
Kent Golden Lights KFMSP.....	8.1±0.3	0.73±0.02	8.9±0.4
Belair 100's 100FMSP.....	8.1±0.2	0.62±0.01	8.7±0.2
Vantage Menthol 100s 100FMSP.....	8.2±0.2	0.60±0.01	12.6±0.3
Salem Lights 100's 100FMSP.....	8.2±0.2	0.68±0.02	10.0±0.2
L & M Long Lights 100FSP.....	8.2±0.3	0.85±0.02	6.8±0.2
Newport Lights KFMHP.....	8.3±0.1	0.72±0.01	9.2±0.2
Lucky Strike Lights KFSP.....	8.4±0.2	0.68±0.01	10.1±0.3
Vantage 100s 100FSP.....	8.5±0.1	0.64±0.01	11.4±0.2
Dunhill International Superior Mild 100FHP.....	8.5±0.3	0.79±0.02	9.8±0.3
Virginia Slims Lights 100FMHP.....	8.6±0.2	0.71±0.01	9.6±0.2
Virginia Slims Lights 100FHP.....	8.7±0.2	0.72±0.02	9.6±0.3
Newport Lights 100's 100FMHP.....	8.7±0.2	0.81±0.02	9.2±0.3
Newport Lights 100's 100FMSP.....	8.7±0.4	0.80±0.03	9.2±0.4
Kool Lights 100's 100FMSP.....	8.7±0.3	0.74±0.02	10.0±0.4
Old Gold Lights KFSP.....	8.7±0.3	0.77±0.02	9.9±0.4
Kent Golden Lights 100s 100FSP.....	8.7±0.3	0.80±0.02	9.2±0.5
Vantage Excell 100's 100FSP.....	8.8±0.2	0.72±0.02	9.2±0.3
Lucky Strike Lights 100's 100FSP.....	8.9±0.2	0.76±0.02	9.8±0.3
Kent Golden Lights 100s 100FHP.....	8.9±0.3	0.83±0.03	9.7±0.4
Malibu Lights 100's 100FSP.....	8.9±0.2	0.75±0.02	10.5±0.2
Falcon Lights 100's 100FMSP.....	9.0±0.3	0.75±0.02	10.8±0.3
Parliament Lights KFHP.....	9.2±0.2	0.74±0.01	9.9±0.3
Alpine Lights KFMSP.....	9.3±0.2	0.74±0.02	10.6±0.2
Pall Mall Red Lights 100's 100FSP.....	9.3±0.2	0.79±0.01	9.6±0.2
Magna Lites KFSP.....	9.4±0.2	0.65±0.02	13.4±0.3
Camel Lights KFSP.....	9.4±0.1	0.66±0.01	11.9±0.2
Parliament Lights KFSP.....	9.4±0.2	0.76±0.01	10.7±0.3
Camel Lights KFHP.....	9.4±0.2	0.62±0.01	11.6±0.2
Salem Lights KFMSP.....	9.4±0.2	0.70±0.01	12.0±0.3
Century 25's Lights (25) KFSP.....	9.4±0.2	0.68±0.01	11.0±0.3
Capri 100FMHP.....	9.5±0.2	0.75±0.02	6.3±0.2
More Lights 100s 100FMHP.....	9.5±0.2	0.72±0.01	10.8±0.2
Alpine Lights 100's 100FMSP.....	9.5±0.1	0.78±0.01	11.2±0.2
Salem Slim Lights 100's 100FMHP.....	9.5±0.2	0.75±0.01	10.0±0.2

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Sorted "Tar" Results**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Winston Lights KFSP	9.5±0.2	0.66±0.02	11.4±0.2
Winston Lights KFHP	9.6±0.2	0.62±0.01	11.5±0.2
Malibu Lights KFSP	9.6±0.2	0.76±0.01	10.2±0.3
Capri 100FHP	9.6±0.2	0.80±0.02	6.5±0.2
Newport Stripes Slim Lights 100FMHP	9.6±0.2	0.76±0.01	11.3±0.3
Merit 100's 100FMSP	9.7±0.2	0.78±0.02	11.4±0.3
Kent Golden Lights 100s 100FMSP	9.7±0.4	0.88±0.03	10.5±0.5
Merit 100's 100FSP	9.8±0.2	0.80±0.02	12.1±0.3
Marlboro Lights KFMHP	9.8±0.2	0.76±0.02	11.1±0.3
Vantage KFMSP	9.8±0.2	0.68±0.01	12.2±0.2
Doral Lights KFSP	9.8±0.2	0.72±0.02	11.2±0.3
Ritz 100 100FHP	9.8±0.3	0.77±0.02	10.7±0.3
More White Lights 120s 120FSP	9.8±0.1	0.74±0.01	13.5±0.3
Winston Lights 100's 100FHP	9.9±0.2	0.72±0.02	12.3±0.4
Doral Menthol Lights KFMSP	10.0±0.3	0.73±0.02	11.4±0.4
Marlboro Lights 100's 100FMHP	10.0±0.2	0.81±0.01	11.3±0.2
Chesterfield Lights KFSP	10.0±0.2	0.79±0.01	11.6±0.2
Savvy 100's Lights 100FSP	10.1±0.2	0.87±0.02	10.7±0.2
Players Lights 25's KFMSP	10.1±0.2	0.74±0.02	11.2±0.2
Benson & Hedges Lights 100's 100FMHP	10.2±0.2	0.80±0.02	11.5±0.2
Pall Mall Red Lights KFSP	10.2±0.2	0.82±0.01	10.5±0.2
Pall Mall Lights 100's 100FSP	10.3±0.3	0.85±0.02	11.8±0.3
More White Lights 120s 120FMSP	10.3±0.2	0.81±0.02	14.8±0.3
Doral Lights 100's 100FSP	10.3±0.3	0.83±0.02	10.5±0.4
Savvy 100's Lights 100FMSP	10.3±0.2	0.88±0.02	10.9±0.2
Chesterfield Lights 100s 100FSP	10.3±0.2	0.86±0.01	11.3±0.3
Vantage KFSP	10.3±0.1	0.73±0.01	13.4±0.2
Falcon Lights KFMSP	10.4±0.3	0.79±0.02	12.0±0.4
Players Lights 25's KFSP	10.4±0.1	0.77±0.01	11.3±0.2
More Lights 100s 100FHP	10.4±0.3	0.84±0.02	11.1±0.3
Belair KFMSP	10.5±0.2	0.82±0.02	9.6±0.2
Benson & Hedges Lights 100's 100FMSP	10.6±0.2	0.86±0.02	11.7±0.3
Benson & Hedges Lights 100's 100FSP	10.6±0.3	0.84±0.03	12.8±0.4
Marlboro Lights 100's 100FSP	10.7±0.2	0.86±0.02	12.0±0.3
Ritz 100 100FMHP	10.8±0.2	0.78±0.01	11.0±0.3
Dunhill Menthol Mild 100FMHP	10.8±0.4	0.97±0.03	13.0±0.4
Benson & Hedges Lights 100's 100FHP	10.8±0.2	0.85±0.02	11.6±0.4
Marlboro Lights 100's 100FHP	10.8±0.2	0.86±0.02	12.0±0.2
Salem Lights 100's 100FMHP	10.8±0.2	0.83±0.01	11.3±0.3
Falcon Lights KFSP	10.9±0.3	0.74±0.02	11.0±0.3
Doral Menthol Lights 100's 100FMSP	10.9±0.2	0.88±0.02	11.2±0.3
Camel Lights 100's 100FSP	11.0±0.2	0.78±0.01	13.7±0.3
Marlboro Lights 25's KFSP	11.0±0.2	0.82±0.02	11.9±0.2
Satin 100FSP	11.1±0.3	0.94±0.01	13.3±0.4
Kent KFHP	11.1±0.2	0.82±0.01	12.6±0.2
Winston Lights 100's 100FSP	11.1±0.2	0.79±0.01	12.7±0.2
Century 25's Lights 100's 100FMSP	11.1±0.3	0.82±0.02	12.5±0.4

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Sorted "Tar" Results**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Marlboro Lights KFHP.....	11.2±0.2	0.85±0.01	12.4±0.3
Falcon Lights 100's 100FSP.....	11.2±0.3	0.79±0.02	14.2±0.4
Marlboro Lights KFSP.....	11.3±0.3	0.86±0.02	11.8±0.3
Viceroy Lights KFSP.....	11.3±0.2	0.87±0.02	12.7±0.3
Satin 100FMSP.....	11.3±0.2	0.94±0.02	13.6±0.3
*Benson & Hedges Multifilter KFSP.....	11.3±0.2	0.90±0.02	11.3±0.3
Raleigh Lights KFSP.....	11.4±0.3	0.89±0.02	12.5±0.3
Players 25's Lights 100's 100FMSP.....	11.5±0.2	0.87±0.01	13.5±0.3
Kool Milds KFMHP.....	11.5±0.2	0.87±0.01	11.4±0.2
Malibu Menthol 100's 100FMSP.....	11.5±0.3	0.93±0.02	12.1±0.4
Century 25's Lights 100's 100FSP.....	11.5±0.2	0.89±0.02	13.0±0.3
Cambridge Lights 100's 100FMSP.....	11.5±0.2	0.88±0.01	13.6±0.3
Richland Lights (25) KFSP.....	11.6±0.3	0.90±0.02	12.6±0.3
Newport Stripes 100FHP.....	11.7±0.2	0.91±0.02	15.5±0.4
Cambridge Lights 100's 100FSP.....	11.7±0.2	0.88±0.01	13.6±0.3
Players 25's Lights 100's 100FSP.....	11.8±0.2	0.88±0.02	13.7±0.3
Players KFMHP.....	11.8±0.2	0.86±0.01	12.6±0.2
L & M 30's Lights 100's 100FSP.....	11.9±0.2	1.01±0.02	9.9±0.3
Richland 20's Lights KFSP.....	11.9±0.2	0.91±0.01	12.5±0.3
American Lights KFSP.....	12.0±0.2	0.91±0.01	12.7±0.2
Old Gold Lights 100s 100FSP.....	12.0±0.2	0.92±0.02	16.4±0.3
Lucky Strike KFHP.....	12.0±0.2	0.92±0.02	12.8±0.2
Viceroy Lights 100's 100FSP.....	12.0±0.3	0.92±0.02	13.8±0.3
Cambridge Lights KFMSP.....	12.0±0.3	0.87±0.02	13.0±0.4
Kent KFSP.....	11.8±0.3	0.87±0.02	13.6±0.4
Players KFHP.....	12.0±0.3	0.87±0.02	12.6±0.3
Capri 120's 120FMHP.....	12.1±0.2	0.96±0.02	7.5±0.2
Newport Stripes 100FMHP.....	12.1±0.2	0.90±0.02	16.4±0.4
More Lights 120s 120FSP.....	12.1±0.2	0.91±0.02	18.8±0.4
Kool Milds 100's 100FMSP.....	12.1±0.3	0.95±0.02	13.0±0.3
Parliament Lights 100's 100FSP.....	12.2±0.2	1.02±0.02	12.8±0.3
Kool Milds KFMSP.....	12.2±0.2	0.94±0.03	12.6±0.2
American Lights 100's 100FSP.....	12.3±0.3	0.97±0.02	13.2±0.4
Silva Thins Menthol 100FMHP.....	12.3±0.2	0.99±0.02	11.9±0.3
Prince Lights KFSP.....	12.3±0.3	1.08±0.02	12.4±0.3
Raleigh Lights 100's 100FSP.....	12.3±0.2	0.92±0.01	14.6±0.3
Richland 20's Lights 100's 100FSP.....	12.3±0.3	0.91±0.02	14.0±0.3
Lucky Strike KFSP.....	12.3±0.3	0.92±0.02	12.8±0.4
Lucky Strike Filters 100's 100FSP.....	12.4±0.3	0.96±0.02	13.0±0.3
Cambridge Lights KFSP.....	12.4±0.2	0.89±0.02	12.7±0.2
Silva Thins Filters 100FHP.....	12.4±0.2	1.01±0.02	11.8±0.2
More Lights 120s 120FMSP.....	12.6±0.3	0.99±0.02	19.5±0.5
Richland Lights (25) 100's 100FSP.....	12.6±0.2	0.95±0.02	14.4±0.3
Lark Lights KFSP.....	12.6±0.3	1.01±0.03	11.4±0.3
Eve Slim Lights 100's 100FHP.....	12.7±0.2	1.03±0.02	10.9±0.2

*Retested brand

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Sorted "Tar" Results**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Eve Lights 120's 120FHP	12.8±0.3	1.11±0.02	11.4±0.3
Eve Slim Lights 100's 100FMHP	12.9±0.3	1.03±0.02	10.7±0.3
Eve Lights 120's 120FMHP	13.0±0.2	1.14±0.03	11.5±0.3
Lark Light 100's 100FSP	13.0±0.3	1.07±0.02	12.5±0.4
Pyramid Lights 100's 100FSP	13.5±0.2	1.14±0.02	14.5±0.2
Magna KFSP	13.5±0.2	0.93±0.01	13.9±0.3
Pyramid Lights KFSP	13.5±0.2	1.06±0.02	12.9±0.3
L & M KFSP	13.6±0.3	1.05±0.02	13.0±0.3
L & M KFHP	13.6±0.2	1.07±0.02	12.9±0.2
Virginia Slims Lights 120's 120FMHP	13.7±0.3	1.09±0.02	13.3±0.3
L & M Super 100 100FSP	13.7±0.2	1.09±0.02	14.6±0.3
Magna KFHP	13.9±0.2	0.89±0.02	14.9±0.3
Kent 100s 100FSP	13.9±0.3	1.03±0.02	15.1±0.3
Harley Davidson KFSP	13.9±0.1	0.99±0.01	16.0±0.2
Tareyton 100's 100FSP	13.9±0.2	1.02±0.02	16.7±0.3
Players 100's 100FMHP	13.9±0.2	1.03±0.02	12.5±0.2
Capri 120's 120FHP	14.0±0.2	1.12±0.02	9.8±0.3
Lark KFSP	14.0±0.2	1.08±0.02	12.3±0.2
Rothmans Special Mild KFHP	14.1±0.3	1.11±0.02	15.9±0.2
Kent 100s 100FMSP	14.1±0.3	1.04±0.02	14.9±0.3
Players 100's 100FHP	14.2±0.2	1.04±0.02	12.9±0.2
Tareyton KFSP	14.2±0.3	0.99±0.02	15.6±0.3
St. Moritz Menthol 100FMSP	14.2±0.3	0.93±0.02	16.0±0.4
Virginia Slims Lights 120's 120FHP	14.3±0.3	1.13±0.02	13.9±0.4
Malibu 100's 100FSP	14.3±0.5	1.12±0.03	13.7±0.5
Lark 100FSP	14.4±0.2	1.17±0.02	13.6±0.2
Camel Filters KFSP	14.8±0.2	0.96±0.02	14.3±0.3
Dunhill Menthol 100FMHP	14.8±0.2	1.26±0.02	17.1±0.2
Saratoga 120's 120FMHP	14.8±0.2	1.13±0.02	14.3±0.3
St. Moritz Filter 100FSP	14.9±0.2	1.09±0.02	15.5±0.2
Virginia Slims 100FSP	15.0±0.3	1.12±0.02	13.2±0.2
Saratoga 120's 120FHP	15.1±0.3	1.17±0.02	15.0±0.4
Century 25's (25) KFSP	15.1±0.3	0.97±0.02	17.4±0.4
Pall Mall Red Filters KFSP	15.2±0.4	1.13±0.03	13.6±0.3
Raleigh KFSP	15.3±0.4	0.96±0.03	14.4±0.3
Virginia Slims 100FMSP	15.3±0.2	1.15±0.02	13.3±0.3
*Alpine 100s 100FMSP	15.4±0.3	1.13±0.02	14.6±0.3
Benson & Hedges KFHP	15.4±0.4	1.25±0.03	12.5±0.4
Raleigh 100's 100FSP	15.5±0.4	0.97±0.02	15.7±0.3
Craven "A" KFHP	15.6±0.2	1.19±0.02	16.3±0.3
Pall Mall Red Filters 100's 100FSP	15.6±0.3	1.17±0.02	14.9±0.3
Doral Full Flavor 100's 100FMSP	15.8±0.2	1.13±0.02	17.3±0.2
Benson & Hedges 100's 100FMSP	15.8±0.2	1.16±0.02	15.9±0.3
Newport KFMHP	15.9±0.3	1.15±0.02	16.9±0.3
Kool KFMHP	15.9±0.4	1.09±0.02	15.6±0.4

*Retested brand

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Sorted "Tar" Results**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Malibu Menthol KFMSP	16.1±0.3	1.18±0.02	14.0±0.3
Richland 20's KFMSP	16.1±0.3	1.05±0.02	15.5±0.4
Viceroy Super Long 100's 100FSP	16.1±0.3	1.17±0.02	15.3±0.3
Doral Full Flavor KFSP	16.2±0.3	1.02±0.03	16.5±0.4
Doral Full Flavor 100's 100FSP	16.2±0.3	1.11±0.03	18.1±0.4
Richland 20's Menthol 100's 100FMSP	16.3±0.3	1.14±0.02	16.4±0.3
Doral Full Flavor KFMSP	16.3±0.2	1.09±0.02	16.1±0.3
Salem 100's 100FMSP	16.4±0.3	1.15±0.02	16.0±0.4
Marlboro 100's 100FSP	16.4±0.3	1.21±0.02	15.7±0.4
American Filter King KFSP	16.4±0.2	1.15±0.01	14.5±0.3
Marlboro 100's Red 100FSP	16.4±0.2	1.22±0.01	15.9±0.2
Benson & Hedges 100's 100FHP	16.4±0.2	1.22±0.02	15.3±0.2
American Filter 100's 100FSP	16.4±0.2	1.21±0.02	14.5±0.3
Prince KFSP	16.5±0.2	1.31±0.02	18.0±0.2
Richland (25) KFMSP	16.5±0.4	1.08±0.02	15.8±0.4
Benson & Hedges 100's 100FMHP	16.5±0.3	1.21±0.02	15.6±0.3
Marlboro KFMSP	16.5±0.3	1.16±0.02	15.0±0.3
Malibu Filters KFSP	16.6±0.3	1.20±0.02	14.9±0.3
Winston KFSP	16.6±0.3	1.11±0.02	16.2±0.3
Marlboro 100's 100FHP	16.6±0.2	1.23±0.02	16.2±0.3
Philip Morris International 100FHP	16.7±0.2	1.25±0.02	16.1±0.3
Viceroy KFSP	16.8±0.3	1.11±0.03	15.7±0.4
Richland (25) KFSP	16.8±0.3	1.16±0.02	16.1±0.4
Marlboro KFSP	16.8±0.3	1.18±0.02	15.1±0.3
Winston KFHP	16.8±0.3	1.05±0.02	15.8±0.3
Marlboro KFHP	16.8±0.3	1.17±0.02	14.5±0.4
Philip Morris International 100FMHP	16.8±0.2	1.28±0.02	15.6±0.2
Marlboro 100's Red 100FHP	16.8±0.3	1.27±0.02	17.3±0.3
Salem KFMSP	16.8±0.2	1.16±0.02	16.7±0.2
Camel Filters KFHP	16.9±0.3	1.04±0.02	16.1±0.3
Benson & Hedges 100's 100FSP	16.9±0.3	1.24±0.02	16.8±0.3
Dunhill International 100FHP	16.9±0.2	1.56±0.03	17.3±0.3
Newport KFMSP	16.9±0.2	1.23±0.02	17.7±0.3
Max 120s 120FMSP	16.9±0.4	1.32±0.03	17.6±0.5
*Alpine KFMSP	17.0±0.3	1.14±0.02	16.0±0.3
Kool KFMSP	17.0±0.3	1.19±0.03	16.0±0.4
More 120s 120FSP	17.0±0.2	1.21±0.02	21.8±0.3
Newport 25's KFMSP	17.1±0.2	1.24±0.02	18.1±0.2
Marlboro 25's KFSP	17.1±0.3	1.21±0.02	15.4±0.3
Winston 100's 100FSP	17.1±0.2	1.05±0.01	19.1±0.3
Max 120s 120FSP	17.2±0.2	1.32±0.02	18.6±0.4
Old Gold Filters KFSP	17.2±0.3	1.25±0.02	18.2±0.5
More 120s 120FMSP	17.2±0.3	1.32±0.02	21.9±0.5
Richland 20's KFSP	17.2±0.4	1.18±0.02	16.2±0.3
Century 25's 100's 100FSP	17.2±0.2	1.14±0.02	20.4±0.3

*Retested brand

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Sorted "Tar" Results**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Kool Super Longs 100's 100FMSP	17.2±0.3	1.27±0.03	16.9±0.3
Cambridge Full Flavor 100's 100FSP	17.3±0.3	1.19±0.02	16.6±0.4
Camel Filters 100's 100FSP	17.3±0.2	1.04±0.02	18.9±0.3
Cambridge Full Flavor KFSP	17.5±0.3	1.14±0.02	15.9±0.2
Pall Mall 100's 100FSP	17.5±0.2	1.34±0.02	17.2±0.2
Richland 20's 100's 100FSP	17.8±0.3	1.30±0.02	17.0±0.3
Rothmans KFHP	18.0±0.3	1.36±0.02	18.9±0.3
Newport 100's 100FMSP	18.0±0.3	1.37±0.02	18.7±0.4
Richland 100's (25) 100FSP	18.2±0.2	1.35±0.02	17.5±0.3
Spring 100's 100FMSP	18.2±0.3	1.40±0.03	18.4±0.4
Tall 120s 120FMSP	18.4±0.3	1.57±0.03	17.5±0.3
Old Gold Filter 100's 100FSP	18.4±0.3	1.39±0.02	19.2±0.3
Craven "A" Filter Standard Size RFHP	18.7±0.4	1.54±0.03	14.1±0.3
Newport 100's 100FMHP	18.7±0.3	1.42±0.03	19.4±0.3
Tall 120s 120FSP	18.9±0.3	1.56±0.03	19.2±0.3
Newport 25's 100's 100FMSP	19.2±0.2	1.45±0.02	19.4±0.3
Chesterfield RNFSP	19.7±0.4	1.26±0.03	12.6±0.3
Kool RNFMSF	21.5±0.8	1.39±0.02	14.6±0.3
Camel RNFSP	22.5±0.4	1.42±0.03	14.0±0.3
Pyramid KNFSP	22.7±0.4	1.52±0.02	14.7±0.4
English Ovals KNFHP	23.5±0.4	1.83±0.04	15.3±0.4
Chesterfield KNFSP	23.5±0.5	1.58±0.04	14.8±0.4
*Philip Morris RNFSP	23.5±0.5	1.43±0.03	13.6±0.5
Pall Mall KNFSP	24.7±0.6	1.65±0.04	16.3±0.5
Players RNFHP	24.7±0.4	1.74±0.03	15.4±0.4
Pall Mall 25's KNFSP	25.0±0.3	1.66±0.03	16.3±0.3
Lucky Strike RNFSP	25.1±0.4	1.56±0.03	17.2±0.4
Raleigh KNFSP	25.1±0.4	1.46±0.03	16.9±0.4
Herbert Tareyton KNFSP	25.3±1.0	1.57±0.03	17.6±0.4
Old Gold Straights KNFSP	26.0±0.7	1.77±0.03	17.9±0.6
Philip Morris Commander KNFSP	26.1±0.4	1.65±0.03	16.1±0.5

*Retested brand

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Sorted "Nicotine" Results**

Brand	"Nicotine" mg/cig	"Tar" mg/cig	CO mg/cig
Carlton Ultra KFHP.....	< 0.05	< 0.5	< 0.5
Now KFHP	< 0.05	< 0.5	< 0.5
Now 100s 100FHP.....	< 0.05	< 0.5	< 0.5
Carlton 100's 100FMHP.....	0.09±0.00	< 0.5	0.9±0.1
Carlton KFMSF.....	0.09±0.01	< 0.5	1.3±0.1
Carlton 100's 100FHP.....	0.09±0.00	< 0.5	0.9±0.1
Carlton 83 KFHP	0.12±0.01	0.7±0.1	1.6±0.1
Now KFMSF.....	0.12±0.01	0.8±0.1	2.2±0.1
Now KFSP.....	0.13±0.01	0.7±0.1	2.0±0.1
Carlton KFSP	0.13±0.01	0.9±0.1	2.0±0.1
Kool Ultra KFMSF.....	0.18±0.01	1.8±0.1	2.1±0.1
Now 100s 100FSP.....	0.20±0.01	1.6±0.1	2.8±0.1
Now 100s 100FMSP.....	0.25±0.01	2.4±0.1	4.0±0.2
Carlton 100's 100FSP.....	0.29±0.01	2.7±0.1	3.8±0.2
Triumph KFSP	0.30±0.01	2.8±0.2	3.6±0.2
Kent III KFSP.....	0.34±0.01	3.4±0.2	4.6±0.2
Triumph KFMSF.....	0.35±0.02	3.4±0.2	4.4±0.3
Cambridge Ultra Low Tar 100s 100FSP	0.38±0.01	4.0±0.2	6.0±0.2
Salem Ultra Lights 100's 100FMSP	0.41±0.01	4.5±0.2	7.0±0.3
Carlton 100's 100FMSP.....	0.42±0.01	4.4±0.2	6.2±0.2
Vantage Ultra Lights KFSP.....	0.43±0.01	5.0±0.1	7.4±0.2
Winston Ultra Lights 100's 100FSP	0.43±0.01	4.8±0.1	8.3±0.2
Kool Ultra 100's 100FMSP	0.43±0.02	4.8±0.2	5.0±0.2
Salem Ultra Lights KFMSF.....	0.44±0.01	4.9±0.1	7.6±0.2
Tareyton Lights KFSP	0.44±0.02	5.1±0.3	5.7±0.4
Kent III 100s 100FSP.....	0.44±0.01	4.7±0.1	7.1±0.2
Vantage Ultra Lights 100s 100FSP	0.44±0.01	4.9±0.1	8.0±0.2
Virginia Slims Ultra Lights 100 100FMHP	0.45±0.02	4.8±0.2	5.2±0.2
Merit Ultra Lights KFMSF.....	0.46±0.01	4.8±0.1	6.2±0.2
True KFMSF	0.46±0.01	4.6±0.2	6.1±0.2
Doral Ultra Lights 100's 100FSP	0.46±0.01	4.9±0.2	7.8±0.3
True KFSP	0.46±0.02	4.7±0.3	6.1±0.3
Merit Ultra Lights KFSP	0.46±0.02	4.8±0.2	6.3±0.1
Benson & Hedges Deluxe Ultra Lights 100's 100FMHP	0.47±0.01	5.1±0.2	6.8±0.2
Virginia Slims Ultra Lights 100 100FHP	0.47±0.01	4.9±0.1	5.4±0.2
Kent III 100s 100FHP.....	0.47±0.01	4.9±0.2	7.2±0.2
Winston Ultra Lights KFSP.....	0.47±0.01	5.4±0.1	8.5±0.2
Benson & Hedges Deluxe Ultra Lights 100's 100FHP	0.48±0.01	5.2±0.2	6.6±0.2
Merit Ultra Lights KFHP	0.49±0.01	5.1±0.1	6.4±0.2
Triumph 100s 100FSP.....	0.50±0.01	5.4±0.2	7.6±0.3
Merit Ultra Lights 100's 100FMSP.....	0.51±0.01	5.2±0.2	7.2±0.3
Triumph 100s 100FMSP.....	0.52±0.02	5.5±0.2	7.8±0.2
Merit Ultra Lights 100's 100FSP.....	0.53±0.01	5.3±0.2	7.1±0.2
Savvy Ultra Lights 100's 100FSP.....	0.54±0.01	5.2±0.2	5.2±0.1
Pyramid Ultra Lights 100's 100FSP	0.57±0.01	5.6±0.1	5.1±0.1
Merit Ultra Lights 100's 100FHP.....	0.58±0.02	5.8±0.1	7.1±0.2
Eve Ultra Lights 120's 120FHP.....	0.58±0.02	5.4±0.2	4.0±0.1

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Sorted "Nicotine" Results**

Brand	"Nicotine" mg/cig	"Tar" mg/cig	CO mg/cig
Eve Ultra Lights 120's 120FMHP	0.58±0.02	5.3±0.2	3.9±0.2
Carlton 120's 120FMSP	0.59±0.02	5.9±0.2	5.1±0.1
True 100's 100FSP	0.60±0.02	6.2±0.3	7.0±0.3
Vantage Menthol 100s 100FMSP	0.60±0.01	8.2±0.2	12.6±0.3
Carlton 120's 120FSP	0.61±0.02	6.1±0.2	5.5±0.2
True 100's 100FMSP	0.61±0.02	6.5±0.3	7.2±0.4
Merit KFHP	0.62±0.02	7.7±0.3	10.1±0.3
Camel Lights KFHP	0.62±0.01	9.4±0.2	11.6±0.2
Belair 100's 100FMSP	0.62±0.01	8.1±0.2	8.7±0.2
Winston Lights KFHP	0.62±0.01	9.6±0.2	11.5±0.2
Merit KFSP	0.63±0.01	7.8±0.1	10.2±0.3
Vantage 100s 100FSP	0.64±0.01	8.5±0.1	11.4±0.2
Merit KFMSP	0.64±0.01	7.9±0.2	9.8±0.2
Magna Lites KFSP	0.65±0.02	9.4±0.2	13.4±0.3
Winston Lights KFSP	0.66±0.02	9.5±0.2	11.4±0.2
Camel Lights KFSP	0.66±0.01	9.4±0.1	11.9±0.2
Kool Lights KFMSP	0.67±0.02	8.1±0.2	9.0±0.2
Tareyton Long Lights 100FSP	0.68±0.02	7.9±0.3	8.8±0.4
Salem Lights 100's 100FMSP	0.68±0.02	8.2±0.2	10.0±0.2
Lucky Strike Lights KFSP	0.68±0.01	8.4±0.2	10.1±0.3
Vantage KFMSP	0.68±0.01	9.8±0.2	12.2±0.2
Century 25's Lights (25) KFSP	0.68±0.01	9.4±0.2	11.0±0.3
Kent Golden Lights KFSP	0.69±0.02	7.6±0.2	8.5±0.3
Salem Lights KFMSP	0.70±0.01	9.4±0.2	12.0±0.3
Kent Golden Lights KFHP	0.71±0.02	8.1±0.2	9.2±0.3
Virginia Slims Lights 100FMHP	0.71±0.01	8.6±0.2	9.6±0.2
Vantage Excell 100's 100FSP	0.72±0.02	8.8±0.2	9.2±0.3
Virginia Slims Lights 100FHP	0.72±0.02	8.7±0.2	9.6±0.3
More Lights 100s 100FMHP	0.72±0.01	9.5±0.2	10.8±0.2
Winston Lights 100's 100FHP	0.72±0.02	9.9±0.2	12.3±0.4
Newport Lights KFMHP	0.72±0.01	8.3±0.1	9.2±0.2
Doral Lights KFSP	0.72±0.02	9.8±0.2	11.2±0.3
Newport Lights KFMSP	0.72±0.02	8.1±0.3	9.0±0.3
Vantage KFSP	0.73±0.01	10.3±0.1	13.4±0.2
Kent Golden Lights KFMSP	0.73±0.02	8.1±0.3	8.9±0.4
Doral Menthol Lights KFMSP	0.73±0.02	10.0±0.3	11.4±0.4
Alpine Lights KFMSP	0.74±0.02	9.3±0.2	10.6±0.2
Players Lights 25's KFMSP	0.74±0.02	10.1±0.2	11.2±0.2
Falcon Lights KFSP	0.74±0.02	10.9±0.3	11.0±0.3
Parliament Lights KFHP	0.74±0.01	9.2±0.2	9.9±0.3
More White Lights 120s 120FSP	0.74±0.01	9.8±0.1	13.5±0.3
Kool Lights 100's 100FMSP	0.74±0.02	8.7±0.3	10.0±0.4
Salem Slim Lights 100's 100FMHP	0.75±0.01	9.5±0.2	10.0±0.2
Falcon Lights 100's 100FMSP	0.75±0.02	9.0±0.3	10.8±0.3
Malibu Lights 100's 100FSP	0.75±0.02	8.9±0.2	10.5±0.2
Capri 100FMHP	0.75±0.02	9.5±0.2	6.3±0.2
Newport Stripes Slim Lights 100FMHP	0.76±0.01	9.6±0.2	11.3±0.3

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Sorted "Nicotine" Results**

Brand	"Nicotine" mg/cig	"Tar" mg/cig	CO mg/cig
Marlboro Lights KFMHP.....	0.76±0.02	9.8±0.2	11.1±0.3
Parliament Lights KFSP.....	0.76±0.01	9.4±0.2	10.7±0.3
Malibu Lights KFSP.....	0.76±0.01	9.6±0.2	10.2±0.3
Lucky Strike Lights 100's 100FSP.....	0.76±0.02	8.9±0.2	9.8±0.3
Players Lights 25's KFSP.....	0.77±0.01	10.4±0.1	11.3±0.2
Old Gold Lights KFSP.....	0.77±0.02	8.7±0.3	9.9±0.4
Ritz 100 100FHP.....	0.77±0.02	9.8±0.3	10.7±0.3
Ritz 100 100FMHP.....	0.78±0.01	10.8±0.2	11.0±0.3
Merit 100's 100FMSP.....	0.78±0.02	9.7±0.2	11.4±0.3
Alpine Lights 100's 100FMSP.....	0.78±0.01	9.5±0.1	11.2±0.2
Camel Lights 100's 100FSP.....	0.78±0.01	11.0±0.2	13.7±0.3
Winston Lights 100's 100FSP.....	0.79±0.01	11.1±0.2	12.7±0.2
Dunhill International Superior Mild 100FHP.....	0.79±0.02	8.5±0.3	9.8±0.3
Falcon Lights 100's 100FSP.....	0.79±0.02	11.2±0.3	14.2±0.4
Falcon Lights KFMSP.....	0.79±0.02	10.4±0.3	12.0±0.4
Chesterfield Lights KFSP.....	0.79±0.01	10.0±0.2	11.6±0.2
Pall Mall Red Lights 100's 100FSP.....	0.79±0.01	9.3±0.2	9.6±0.2
Capri 100FHP.....	0.80±0.02	9.6±0.2	6.5±0.2
Merit 100's 100FSP.....	0.80±0.02	9.8±0.2	12.1±0.3
Benson & Hedges Lights 100's 100FMHP.....	0.80±0.02	10.2±0.2	11.5±0.2
Newport Lights 100's 100FMSP.....	0.80±0.03	8.7±0.4	9.2±0.4
Kent Golden Lights 100s 100FSP.....	0.80±0.02	8.7±0.3	9.2±0.5
Newport Lights 100's 100FMHP.....	0.81±0.02	8.7±0.2	9.2±0.3
Marlboro Lights 100's 100FMHP.....	0.81±0.01	10.0±0.2	11.3±0.2
More White Lights 120s 120FMSP.....	0.81±0.02	10.3±0.2	14.8±0.3
Pall Mall Red Lights KFSP.....	0.82±0.01	10.2±0.2	10.5±0.2
Kent KFHP.....	0.82±0.01	11.1±0.2	12.6±0.2
Marlboro Lights 25's KFSP.....	0.82±0.02	11.0±0.2	11.9±0.2
Century 25's Lights 100's 100FMSP.....	0.82±0.02	11.1±0.3	12.5±0.4
Belair KFMSP.....	0.82±0.02	10.5±0.2	9.6±0.2
Kent Golden Lights 100s 100FHP.....	0.83±0.03	8.9±0.3	9.7±0.4
Doral Lights 100's 100FSP.....	0.83±0.02	10.3±0.3	10.5±0.4
Salem Lights 100's 100FMHP.....	0.83±0.01	10.8±0.2	11.3±0.3
More Lights 100s 100FHP.....	0.84±0.02	10.4±0.3	11.1±0.3
Benson & Hedges Lights 100's 100FSP.....	0.84±0.03	10.6±0.3	12.8±0.4
L & M Long Lights 100FSP.....	0.85±0.02	8.2±0.3	6.8±0.2
Benson & Hedges Lights 100's 100FHP.....	0.85±0.02	10.8±0.2	11.6±0.4
Marlboro Lights KFHP.....	0.85±0.01	11.2±0.2	12.4±0.3
Pall Mall Lights 100's 100FSP.....	0.85±0.02	10.3±0.3	11.8±0.3
Marlboro Lights 100's 100FSP.....	0.86±0.02	10.7±0.2	12.0±0.3
Players KFMHP.....	0.86±0.01	11.8±0.2	12.6±0.2
Marlboro Lights 100's 100FHP.....	0.86±0.02	10.8±0.2	12.0±0.2
Marlboro Lights KFSP.....	0.86±0.02	11.3±0.3	11.8±0.3
Benson & Hedges Lights 100's 100FMSP.....	0.86±0.02	10.6±0.2	11.7±0.3
Chesterfield Lights 100s 100FSP.....	0.86±0.01	10.3±0.2	11.3±0.3
Players 25's Lights 100's 100FMSP.....	0.87±0.01	11.5±0.2	13.5±0.3
Savvy 100's Lights 100FSP.....	0.87±0.02	10.1±0.2	10.7±0.2

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Sorted "Nicotine" Results**

Brand	"Nicotine" mg/cig	"Tar" mg/cig	CO mg/cig
Kool Milds KFMHP	0.87±0.01	11.5±0.2	11.4±0.2
Cambridge Lights KFMSP	0.87±0.02	12.0±0.3	13.0±0.4
Viceroy Lights KFSP	0.87±0.02	11.3±0.2	12.7±0.3
Kent KFSP	0.87±0.02	11.8±0.3	13.6±0.4
Players KFHP	0.87±0.02	12.0±0.3	12.6±0.3
Players 25's Lights 100's 100FSP	0.88±0.02	11.8±0.2	13.7±0.3
Kent Golden Lights 100s 100FMSP	0.88±0.03	9.7±0.4	10.5±0.5
Doral Menthol Lights 100's 100FMSP	0.88±0.02	10.9±0.2	11.2±0.3
Cambridge Lights 100's 100FMSP	0.88±0.01	11.5±0.2	13.6±0.3
Cambridge Lights 100's 100FSP	0.88±0.01	11.7±0.2	13.6±0.3
Savvy 100's Lights 100FMSP	0.88±0.02	10.3±0.2	10.9±0.2
Raleigh Lights KFSP	0.89±0.02	11.4±0.3	12.5±0.3
Magna KFHP	0.89±0.02	13.9±0.2	14.9±0.3
Century 25's Lights 100's 100FSP	0.89±0.02	11.5±0.2	13.0±0.3
Cambridge Lights KFSP	0.89±0.02	12.4±0.2	12.7±0.2
*Benson & Hedges Multifilter KFSP	0.90±0.02	11.3±0.2	11.1±0.3
Richland Lights (25) KFSP	0.90±0.02	11.6±0.3	12.6±0.3
Newport Stripes 100FMHP	0.90±0.02	12.1±0.2	16.4±0.4
More Lights 120s 120FSP	0.91±0.02	12.1±0.2	18.8±0.4
Newport Stripes 100FHP	0.91±0.02	11.7±0.2	15.5±0.4
American Lights KFSP	0.91±0.01	12.0±0.2	12.7±0.2
Richland 20's Lights 100's 100FSP	0.91±0.02	12.3±0.3	14.0±0.3
Richland 20's Lights KFSP	0.91±0.01	11.9±0.2	12.5±0.3
Lucky Strike KFHP	0.92±0.02	12.0±0.2	12.8±0.2
Viceroy Lights 100's 100FSP	0.92±0.02	12.0±0.3	13.8±0.3
Old Gold Lights 100s 100FSP	0.92±0.02	12.0±0.2	16.4±0.3
Lucky Strike KFSP	0.92±0.02	12.3±0.3	12.8±0.4
Raleigh Lights 100's 100FSP	0.92±0.01	12.3±0.2	14.6±0.3
Magna KFSP	0.93±0.01	13.5±0.2	13.9±0.3
Malibu Menthol 100's 100FMSP	0.93±0.02	11.5±0.3	12.1±0.4
St. Moritz Menthol 100FMSP	0.93±0.02	14.2±0.3	16.0±0.4
Satin 100FSP	0.94±0.01	11.1±0.3	13.3±0.4
Kool Milds KFMSP	0.94±0.03	12.2±0.2	12.6±0.2
Satin 100FMSP	0.94±0.02	11.3±0.2	13.6±0.3
Kool Milds 100's 100FMSP	0.95±0.02	12.1±0.3	13.0±0.3
Richland Lights (25) 100's 100FSP	0.95±0.02	12.6±0.2	14.4±0.3
Raleigh KFSP	0.96±0.03	15.3±0.4	14.4±0.3
Capri 120's 120FMHP	0.96±0.02	12.1±0.2	7.5±0.2
Camel Filters KFSP	0.96±0.02	14.8±0.2	14.3±0.3
Lucky Strike Filters 100's 100FSP	0.96±0.02	12.4±0.3	13.0±0.3
American Lights 100's 100FSP	0.97±0.02	12.3±0.3	13.2±0.4
Century 25's (25) KFSP	0.97±0.02	15.1±0.3	17.4±0.4
Raleigh 100's 100FSP	0.97±0.02	15.5±0.4	15.7±0.3
Dunhill Menthol Mild 100FMHP	0.97±0.03	10.8±0.4	13.0±0.4
Harley Davidson KFSP	0.99±0.01	13.9±0.1	16.0±0.2

*Retested brand

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Sorted "Nicotine" Results**

Brand	"Nicotine" mg/cig	"Tar" mg/cig	CO mg/cig
Silva Thins Menthol 100FMHP.....	0.99±0.02	12.3±0.2	11.9±0.3
More Lights 120s 120FMSP.....	0.99±0.02	12.6±0.3	19.5±0.5
Tareyton KFSP.....	0.99±0.02	14.2±0.3	15.6±0.3
L & M 30's Lights 100's 100FSP.....	1.01±0.02	11.9±0.2	9.9±0.3
Lark Lights KFSP.....	1.01±0.03	12.6±0.3	11.4±0.3
Silva Thins Filters 100FHP.....	1.01±0.02	12.4±0.2	11.8±0.2
Tareyton 100's 100FSP.....	1.02±0.02	13.9±0.2	16.7±0.3
Parliament Lights 100's 100FSP.....	1.02±0.02	12.2±0.2	12.8±0.3
Doral Full Flavor KFSP.....	1.02±0.03	16.2±0.3	16.5±0.4
Eve Slim Lights 100's 100FHP.....	1.03±0.02	12.7±0.2	10.9±0.2
Players 100's 100FMHP.....	1.03±0.02	13.9±0.2	12.5±0.2
Eve Slim Lights 100's 100FMHP.....	1.03±0.02	12.9±0.3	10.7±0.3
Kent 100s 100FSP.....	1.03±0.02	13.9±0.3	15.1±0.3
Players 100's 100FHP.....	1.04±0.02	14.2±0.2	12.9±0.2
Camel Filters KFHP.....	1.04±0.02	16.9±0.3	16.1±0.3
Camel Filters 100's 100FSP.....	1.04±0.02	17.3±0.2	18.9±0.3
Kent 100s 100FMSP.....	1.04±0.02	14.1±0.3	14.9±0.3
Richland 20's KFSP.....	1.05±0.02	16.1±0.3	15.5±0.4
L & M KFSP.....	1.05±0.02	13.6±0.3	13.0±0.3
Winston KFHP.....	1.05±0.02	16.8±0.3	15.8±0.3
Winston 100's 100FSP.....	1.05±0.01	17.1±0.2	19.1±0.3
Pyramid Lights KFSP.....	1.06±0.02	13.5±0.2	12.9±0.3
L & M KFHP.....	1.07±0.02	13.6±0.2	12.9±0.2
Lark Light 100's 100FSP.....	1.07±0.02	13.0±0.3	12.5±0.4
Richland (25) KFSP.....	1.08±0.02	16.5±0.4	15.8±0.4
Lark KFSP.....	1.08±0.02	14.0±0.2	12.3±0.2
Prince Lights KFSP.....	1.08±0.02	12.3±0.3	12.4±0.3
Doral Full Flavor KFSP.....	1.09±0.02	16.3±0.2	16.1±0.3
St. Moritz Filter 100FSP.....	1.09±0.02	14.9±0.2	15.5±0.2
Kool KFSP.....	1.09±0.02	15.9±0.4	15.6±0.4
L & M Super 100 100FSP.....	1.09±0.02	13.7±0.2	14.6±0.3
Virginia Slims Lights 120's 120FMHP.....	1.09±0.02	13.7±0.3	13.3±0.3
Winston KFSP.....	1.11±0.02	16.6±0.3	16.2±0.3
Eve Lights 120's 120FHP.....	1.11±0.02	12.8±0.3	11.4±0.3
Rothmans Special Mild KFHP.....	1.11±0.02	14.1±0.3	15.9±0.2
Doral Full Flavor 100's 100FSP.....	1.11±0.03	16.2±0.3	18.1±0.4
Viceroy KFSP.....	1.11±0.03	16.8±0.3	15.7±0.4
Malibu 100's 100FSP.....	1.12±0.03	14.3±0.5	13.7±0.5
Capri 120's 120FHP.....	1.12±0.02	14.0±0.2	9.8±0.3
Virginia Slims 100FSP.....	1.12±0.02	15.0±0.3	13.2±0.2
Pall Mall Red Filters KFSP.....	1.13±0.03	15.2±0.4	13.6±0.3
Doral Full Flavor 100's 100FMSP.....	1.13±0.02	15.8±0.2	17.3±0.2
*Alpine 100s 100FMSP.....	1.13±0.02	15.4±0.3	14.6±0.3
Virginia Slims Lights 120's 120FHP.....	1.13±0.02	14.3±0.3	13.9±0.4
Saratoga 120's 120FMHP.....	1.13±0.02	14.8±0.2	14.3±0.3

*Retested brand

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Sorted "Nicotine" Results**

Brand	"Nicotine" mg/cig	"Tar" mg/cig	CO mg/cig
Eve Lights 120's 120FMHP	1.14±0.03	13.0±0.2	11.5±0.3
Century 25's 100's 100FSP	1.14±0.02	17.2±0.2	20.4±0.3
*Alpine KFMSP	1.14±0.02	17.0±0.3	16.0±0.3
Richland 20's Menthol 100's 100FMSP	1.14±0.02	16.3±0.3	16.4±0.3
Pyramid Lights 100's 100FSP	1.14±0.02	13.5±0.2	14.5±0.2
Cambridge Full Flavor KFSP	1.14±0.02	17.5±0.3	15.9±0.2
American Filter King KFSP	1.15±0.01	16.4±0.2	14.5±0.3
Newport KFMHP	1.15±0.02	15.9±0.3	16.9±0.3
Virginia Slims 100FMSP	1.15±0.02	15.3±0.2	13.3±0.3
Salem 100's 100FMSP	1.15±0.02	16.4±0.3	16.0±0.4
Richland (25) KFSP	1.16±0.02	16.8±0.3	16.1±0.4
Marlboro KFMSP	1.16±0.02	16.5±0.3	15.0±0.3
Benson & Hedges 100's 100FMSP	1.16±0.02	15.8±0.2	15.9±0.3
Salem KFMSP	1.16±0.02	16.8±0.2	16.7±0.2
Saratoga 120's 120FHP	1.17±0.02	15.1±0.3	15.0±0.4
Marlboro KFHP	1.17±0.02	16.8±0.3	14.5±0.4
Viceroy Super Long 100's 100FSP	1.17±0.02	16.1±0.3	15.3±0.3
Lark 100FSP	1.17±0.02	14.4±0.2	13.6±0.2
Pall Mall Red Filters 100's 100FSP	1.17±0.02	15.6±0.3	14.9±0.3
Richland 20's KFSP	1.18±0.02	17.2±0.4	16.2±0.3
Marlboro KFSP	1.18±0.02	16.8±0.3	15.1±0.3
Malibu Menthol KFMSP	1.18±0.02	16.1±0.3	14.0±0.3
Kool KFMSP	1.19±0.03	17.0±0.3	16.0±0.4
Craven "A" KFHP	1.19±0.02	15.6±0.2	16.3±0.3
Cambridge Full Flavor 100's 100FSP	1.19±0.02	17.3±0.3	16.6±0.4
Malibu Filters KFSP	1.20±0.02	16.6±0.3	14.9±0.3
Marlboro 25's KFSP	1.21±0.02	17.1±0.3	15.4±0.3
American Filter 100's 100FSP	1.21±0.02	16.4±0.2	14.5±0.3
More 120s 120FSP	1.21±0.02	17.0±0.2	21.8±0.3
Benson & Hedges 100's 100FMHP	1.21±0.02	16.5±0.3	15.6±0.3
Marlboro 100's 100FSP	1.21±0.02	16.4±0.3	15.7±0.4
Benson & Hedges 100's 100FHP	1.22±0.02	16.4±0.2	15.3±0.2
Marlboro 100's Red 100FSP	1.22±0.01	16.4±0.2	15.9±0.2
Newport KFMSP	1.23±0.02	16.9±0.2	17.7±0.3
Marlboro 100's 100FHP	1.23±0.02	16.6±0.2	16.2±0.3
Benson & Hedges 100's 100FSP	1.24±0.02	16.9±0.3	16.8±0.3
Newport 25's KFMSP	1.24±0.02	17.1±0.2	18.1±0.2
Philip Morris International 100FHP	1.25±0.02	16.7±0.2	16.1±0.3
Old Gold Filters KFSP	1.25±0.02	17.2±0.3	18.2±0.5
Benson & Hedges KFHP	1.25±0.03	15.4±0.4	12.5±0.4
Chesterfield RNFSF	1.26±0.03	19.7±0.4	12.6±0.3
Dunhill Menthol 100FMHP	1.26±0.02	14.8±0.2	17.1±0.2
Marlboro 100's Red 100FHP	1.27±0.02	16.8±0.3	17.3±0.3
Kool Super Longs 100's 100FMSP	1.27±0.03	17.2±0.3	16.9±0.3
Philip Morris International 100FMHP	1.28±0.02	16.8±0.2	15.6±0.2

*Retested brand

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Sorted "Nicotine" Results**

Brand	"Nicotine" mg/cig	"Tar" mg/cig	CO mg/cig
Richland 20's 100's 100FSP.....	1.30±0.02	17.8±0.3	17.0±0.3
Prince KFSP.....	1.31±0.02	16.5±0.2	18.0±0.2
More 120s 120FMSP.....	1.32±0.02	17.2±0.3	21.9±0.5
Max 120s 120FMSP.....	1.32±0.03	16.9±0.4	17.6±0.5
Max 120s 120FSP.....	1.32±0.02	17.2±0.2	18.6±0.4
Pall Mall 100's 100FSP.....	1.34±0.02	17.5±0.2	17.2±0.2
Richland 100's (25) 100FSP.....	1.35±0.02	18.2±0.2	17.5±0.3
Rothmans KFHP.....	1.36±0.02	18.0±0.3	18.9±0.3
Newport 100's 100FMSP.....	1.37±0.02	18.0±0.3	18.7±0.4
Kool RNFMSF.....	1.39±0.02	21.5±0.8	14.6±0.3
Old Gold Filter 100's 100FSP.....	1.39±0.02	18.4±0.3	19.2±0.3
Spring 100's 100FMSP.....	1.40±0.03	18.2±0.3	18.4±0.4
Camel RNFSP.....	1.42±0.03	22.5±0.4	14.0±0.3
Newport 100's 100FMHP.....	1.42±0.03	18.7±0.3	19.4±0.3
*Philip Morris RNFSP.....	1.43±0.03	23.5±0.5	13.6±0.5
Newport 25's 100's 100FMSP.....	1.45±0.02	19.2±0.2	19.4±0.3
Raleigh KNFSP.....	1.46±0.03	25.1±0.4	16.9±0.4
Pyramid KNFSP.....	1.52±0.02	22.7±0.4	14.7±0.4
Craven "A" Filter Standard Size RFHP.....	1.54±0.03	18.7±0.4	14.1±0.3
Tall 120s 120FSP.....	1.56±0.03	18.9±0.3	19.2±0.3
Lucky Strike RNFSP.....	1.56±0.03	25.1±0.4	17.2±0.4
Dunhill International 100FHP.....	1.56±0.03	16.9±0.2	17.3±0.3
Tall 120s 120FMSP.....	1.57±0.03	18.4±0.3	17.5±0.3
Herbert Tareyton KNFSP.....	1.57±0.03	25.3±1.0	17.6±0.4
Chesterfield KNFSP.....	1.58±0.04	23.5±0.5	14.8±0.4
Pall Mall KNFSP.....	1.65±0.04	24.7±0.6	16.3±0.5
Philip Morris Commander KNFSP.....	1.65±0.03	26.1±0.4	16.1±0.5
Pall Mall 25's KNFSP.....	1.66±0.03	25.0±0.3	16.3±0.3
Players RNFHP.....	1.74±0.03	24.7±0.4	15.4±0.4
Old Gold Straights KNFSP.....	1.77±0.03	26.0±0.7	17.9±0.6
English Ovals KNFHP.....	1.83±0.04	23.5±0.4	15.3±0.4

*Retested brand

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Sorted Carbon Monoxide Results**

Brand	CO mg/cig	"Tar" mg/cig	"Nicotine" mg/cig
Carlton Ultra KFHP.....	< 0.5	< 0.5	< 0.05
Now KFHP	< 0.5	< 0.5	< 0.05
Now 100s 100FHP.....	< 0.5	< 0.5	< 0.05
Carlton 100's 100FMHP.....	0.9±0.1	< 0.5	0.09±0.00
Carlton 100's 100FHP.....	0.9±0.1	< 0.5	0.09±0.00
Carlton KFMSF.....	1.3±0.1	< 0.5	0.09±0.01
Carlton 83 KFHP	1.6±0.1	0.7±0.1	0.12±0.01
Now KFSP.....	2.0±0.1	0.7±0.1	0.13±0.01
Carlton KFSP	2.0±0.1	0.9±0.1	0.13±0.01
Kool Ultra KFMSF.....	2.1±0.1	1.8±0.1	0.18±0.01
Now KFMSF.....	2.2±0.1	0.8±0.1	0.12±0.01
Now 100s 100FSP.....	2.8±0.1	1.6±0.1	0.20±0.01
Triumph KFSP	3.6±0.2	2.8±0.2	0.30±0.01
Carlton 100's 100FSP.....	3.8±0.2	2.7±0.1	0.29±0.01
Eve Ultra Lights 120's 120FMHP.....	3.9±0.2	5.3±0.2	0.58±0.02
Eve Ultra Lights 120's 120FHP.....	4.0±0.1	5.4±0.2	0.58±0.02
Now 100s 100FMSP	4.0±0.2	2.4±0.1	0.25±0.01
Triumph KFMSF	4.4±0.3	3.4±0.2	0.35±0.02
Kent III KFSP.....	4.6±0.2	3.4±0.2	0.34±0.01
Kool Ultra 100's 100FMSP	5.0±0.2	4.8±0.2	0.43±0.02
Carlton 120's 120FMSP	5.1±0.1	5.9±0.2	0.59±0.02
Pyramid Ultra Lights 100's 100FSP	5.1±0.1	5.6±0.1	0.57±0.01
Savvy Ultra Lights 100's 100FSP	5.2±0.1	5.2±0.2	0.54±0.01
Virginia Slims Ultra Lights 100 100FMHP	5.2±0.2	4.8±0.2	0.45±0.02
Virginia Slims Ultra Lights 100 100FHP	5.4±0.2	4.9±0.1	0.47±0.01
Carlton 120's 120FSP.....	5.5±0.2	6.1±0.2	0.61±0.02
Tareyton Lights KFSP	5.7±0.4	5.1±0.3	0.44±0.02
Cambridge Ultra Low Tar 100s 100FSP	6.0±0.2	4.0±0.2	0.38±0.01
True KFMSF	6.1±0.2	4.6±0.2	0.46±0.01
True KFSP	6.1±0.3	4.7±0.3	0.46±0.02
Merit Ultra Lights KFMSF.....	6.2±0.2	4.8±0.1	0.46±0.01
Carlton 100's 100FMSP.....	6.2±0.2	4.4±0.2	0.42±0.01
Capri 100FMHP.....	6.3±0.2	9.5±0.2	0.75±0.02
Merit Ultra Lights KFSP	6.3±0.1	4.8±0.2	0.46±0.02
Merit Ultra Lights KFHP	6.4±0.2	5.1±0.1	0.49±0.01
Capri 100FHP.....	6.5±0.2	9.6±0.2	0.80±0.02
Benson & Hedges Deluxe Ultra Lights 100's 100FHP	6.6±0.2	5.2±0.2	0.48±0.01
L & M Long Lights 100FSP.....	6.8±0.2	8.2±0.3	0.85±0.02
Benson & Hedges Deluxe Ultra Lights 100's 100FMHP	6.8±0.2	5.1±0.2	0.47±0.01
True 100's 100FSP.....	7.0±0.3	6.2±0.3	0.60±0.02
Salem Ultra Lights 100's 100FMSP	7.0±0.3	4.5±0.2	0.41±0.01
Merit Ultra Lights 100's 100FHP.....	7.1±0.2	5.8±0.1	0.58±0.02
Kent III 100s 100FSP.....	7.1±0.2	4.7±0.1	0.44±0.01
Merit Ultra Lights 100's 100FSP.....	7.1±0.2	5.3±0.2	0.53±0.01
Merit Ultra Lights 100's 100FMSP.....	7.2±0.3	5.2±0.2	0.51±0.01
True 100's 100FMSP.....	7.2±0.4	6.5±0.3	0.61±0.02
Kent III 100s 100FHP.....	7.2±0.2	4.9±0.2	0.47±0.01

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Sorted Carbon Monoxide Results**

Brand	CO mg/cig	"Tar" mg/cig	"Nicotine" mg/cig
Vantage Ultra Lights KFSP.....	7.4±0.2	5.0±0.1	0.43±0.01
Capri 120's 120FMHP.....	7.5±0.2	12.1±0.2	0.96±0.02
Salem Ultra Lights KFMSF.....	7.6±0.2	4.9±0.1	0.44±0.01
Triumph 100s 100FSP.....	7.6±0.3	5.4±0.2	0.50±0.01
Triumph 100s 100FMSP.....	7.8±0.2	5.5±0.2	0.52±0.02
Doral Ultra Lights 100's 100FSP.....	7.8±0.3	4.9±0.2	0.46±0.01
Vantage Ultra Lights 100s 100FSP.....	8.0±0.2	4.9±0.1	0.44±0.01
Winston Ultra Lights 100's 100FSP.....	8.3±0.2	4.8±0.1	0.43±0.01
Winston Ultra Lights KFSP.....	8.5±0.2	5.4±0.1	0.47±0.01
Kent Golden Lights KFSP.....	8.5±0.3	7.6±0.2	0.69±0.02
Belair 100's 100FMSP.....	8.7±0.2	8.1±0.2	0.62±0.01
Tareyton Long Lights 100FSP.....	8.8±0.4	7.9±0.3	0.68±0.02
Kent Golden Lights KFMSF.....	8.9±0.4	8.1±0.3	0.73±0.02
Newport Lights KFMSF.....	9.0±0.3	8.1±0.3	0.72±0.02
Kool Lights KFMSF.....	9.0±0.2	8.1±0.2	0.67±0.02
Kent Golden Lights KFHP.....	9.2±0.3	8.1±0.2	0.71±0.02
Kent Golden Lights 100s 100FSP.....	9.2±0.5	8.7±0.3	0.80±0.02
Newport Lights 100's 100FMSP.....	9.2±0.4	8.7±0.4	0.80±0.03
Newport Lights 100's 100FMHP.....	9.2±0.3	8.7±0.2	0.81±0.02
Newport Lights KFMSF.....	9.2±0.2	8.3±0.1	0.72±0.01
Vantage Excell 100's 100FSP.....	9.2±0.3	8.8±0.2	0.72±0.02
Pall Mall Red Lights 100's 100FSP.....	9.6±0.2	9.3±0.2	0.79±0.01
Virginia Slims Lights 100FMHP.....	9.6±0.2	8.6±0.2	0.71±0.01
Virginia Slims Lights 100FHP.....	9.6±0.3	8.7±0.2	0.72±0.02
Belair KFMSF.....	9.6±0.2	10.5±0.2	0.82±0.02
Kent Golden Lights 100s 100FHP.....	9.7±0.4	8.9±0.3	0.83±0.03
Capri 120's 120FHP.....	9.8±0.3	14.0±0.2	1.12±0.02
Dunhill International Superior Mild 100FHP.....	9.8±0.3	8.5±0.3	0.79±0.02
Lucky Strike Lights 100's 100FSP.....	9.8±0.3	8.9±0.2	0.76±0.02
Merit KFMSF.....	9.8±0.2	7.9±0.2	0.64±0.01
L & M 30's Lights 100's 100FSP.....	9.9±0.3	11.9±0.2	1.01±0.02
Old Gold Lights KFSP.....	9.9±0.4	8.7±0.3	0.77±0.02
Parliament Lights KFHP.....	9.9±0.3	9.2±0.2	0.74±0.01
Salem Lights 100's 100FMSP.....	10.0±0.2	8.2±0.2	0.68±0.02
Kool Lights 100's 100FMSP.....	10.0±0.4	8.7±0.3	0.74±0.02
Salem Slim Lights 100's 100FMHP.....	10.0±0.2	9.5±0.2	0.75±0.01
Merit KFHP.....	10.1±0.3	7.7±0.3	0.62±0.02
Lucky Strike Lights KFSP.....	10.1±0.3	8.4±0.2	0.68±0.01
Merit KFSP.....	10.2±0.3	7.8±0.1	0.63±0.01
Malibu Lights KFSP.....	10.2±0.3	9.6±0.2	0.76±0.01
Kent Golden Lights 100s 100FMSP.....	10.5±0.5	9.7±0.4	0.88±0.03
Doral Lights 100's 100FSP.....	10.5±0.4	10.3±0.3	0.83±0.02
Pall Mall Red Lights KFSP.....	10.5±0.2	10.2±0.2	0.82±0.01
Malibu Lights 100's 100FSP.....	10.5±0.2	8.9±0.2	0.75±0.02
Alpine Lights KFMSF.....	10.6±0.2	9.3±0.2	0.74±0.02
Savvy 100's Lights 100FSP.....	10.7±0.2	10.1±0.2	0.87±0.02
Parliament Lights KFSP.....	10.7±0.3	9.4±0.2	0.76±0.01

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Sorted Carbon Monoxide Results**

Brand	CO mg/cig	"Tar" mg/cig	"Nicotine" mg/cig
Ritz 100 100FHP	10.7±0.3	9.8±0.3	0.77±0.02
Eve Slim Lights 100's 100FMHP	10.7±0.3	12.9±0.3	1.03±0.02
More Lights 100s 100FMHP	10.8±0.2	9.5±0.2	0.72±0.01
Falcon Lights 100's 100FMSP	10.8±0.3	9.0±0.3	0.75±0.02
Savvy 100's Lights 100FMSP	10.9±0.2	10.3±0.2	0.88±0.02
Eve Slim Lights 100's 100FHP	10.9±0.2	12.7±0.2	1.03±0.02
Ritz 100 100FMHP	11.0±0.3	10.8±0.2	0.78±0.01
Century 25's Lights (25) KFSP	11.0±0.3	9.4±0.2	0.68±0.01
Falcon Lights KFSP	11.0±0.3	10.9±0.3	0.74±0.02
*Benson & Hedges Multifilter KFSP	11.1±0.3	11.3±0.2	0.90±0.02
More Lights 100s 100FHP	11.1±0.3	10.4±0.3	0.84±0.02
Marlboro Lights KFMHP	11.1±0.3	9.8±0.2	0.76±0.02
Alpine Lights 100's 100FMSP	11.2±0.2	9.5±0.1	0.78±0.01
Players Lights 25's KFMSP	11.2±0.2	10.1±0.2	0.74±0.02
Doral Menthol Lights 100's 100FMSP	11.2±0.3	10.9±0.2	0.88±0.02
Doral Lights KFSP	11.2±0.3	9.8±0.2	0.72±0.02
Newport Stripes Slim Lights 100FMHP	11.3±0.3	9.6±0.2	0.76±0.01
Marlboro Lights 100's 100FMHP	11.3±0.2	10.0±0.2	0.81±0.01
Players Lights 25's KFSP	11.3±0.2	10.4±0.1	0.77±0.01
Chesterfield Lights 100s 100FSP	11.3±0.3	10.3±0.2	0.86±0.01
Salem Lights 100's 100FMHP	11.3±0.3	10.8±0.2	0.83±0.01
Eve Lights 120's 120FHP	11.4±0.3	12.8±0.3	1.11±0.02
Vantage 100s 100FSP	11.4±0.2	8.5±0.1	0.64±0.01
Doral Menthol Lights KFMSP	11.4±0.4	10.0±0.3	0.73±0.02
Winston Lights KFSP	11.4±0.2	9.5±0.2	0.66±0.02
Kool Milds KFMHP	11.4±0.2	11.5±0.2	0.87±0.01
Merit 100's 100FMSP	11.4±0.3	9.7±0.2	0.78±0.02
Lark Lights KFSP	11.4±0.3	12.6±0.3	1.01±0.03
Benson & Hedges Lights 100's 100FMHP	11.5±0.2	10.2±0.2	0.80±0.02
Eve Lights 120's 120FMHP	11.5±0.3	13.0±0.2	1.14±0.03
Winston Lights KFHP	11.5±0.2	9.6±0.2	0.62±0.01
Benson & Hedges Lights 100's 100FHP	11.6±0.4	10.8±0.2	0.85±0.02
Chesterfield Lights KFSP	11.6±0.2	10.0±0.2	0.79±0.01
Camel Lights KFHP	11.6±0.2	9.4±0.2	0.62±0.01
Benson & Hedges Lights 100's 100FMSP	11.7±0.3	10.6±0.2	0.86±0.02
Pall Mall Lights 100's 100FSP	11.8±0.3	10.3±0.3	0.85±0.02
Marlboro Lights KFSP	11.8±0.3	11.3±0.3	0.86±0.02
Silva Thins Filters 100FHP	11.8±0.2	12.4±0.2	1.01±0.02
Silva Thins Menthol 100FMHP	11.9±0.3	12.3±0.2	0.99±0.02
Marlboro Lights 25's KFSP	11.9±0.2	11.0±0.2	0.82±0.02
Camel Lights KFSP	11.9±0.2	9.4±0.1	0.66±0.01
Salem Lights KFMSP	12.0±0.3	9.4±0.2	0.70±0.01
Marlboro Lights 100's 100FHP	12.0±0.2	10.8±0.2	0.86±0.02
Falcon Lights KFMSP	12.0±0.4	10.4±0.3	0.79±0.02
Marlboro Lights 100's 100FSP	12.0±0.3	10.7±0.2	0.86±0.02

*Retested brand

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Sorted Carbon Monoxide Results**

Brand	CO mg/cig	"Tar" mg/cig	"Nicotine" mg/cig
Merit 100's 100FSP	12.1±0.3	9.8±0.2	0.80±0.02
Malibu Menthol 100's 100FMSP	12.1±0.4	11.5±0.3	0.93±0.02
Vantage KFMSP	12.2±0.2	9.8±0.2	0.68±0.01
Lark KFSP	12.3±0.2	14.0±0.2	1.08±0.02
Winston Lights 100's 100FHP	12.3±0.4	9.9±0.2	0.72±0.02
Prince Lights KFSP	12.4±0.3	12.3±0.3	1.08±0.02
Marlboro Lights KFHP	12.4±0.3	11.2±0.2	0.85±0.01
Players 100's 100FMHP	12.5±0.2	13.9±0.2	1.03±0.02
Richland 20's Lights KFSP	12.5±0.3	11.9±0.2	0.91±0.01
Century 25's Lights 100's 100FMSP	12.5±0.4	11.1±0.3	0.82±0.02
Benson & Hedges KFHP	12.5±0.4	15.4±0.4	1.25±0.03
Raleigh Lights KFSP	12.5±0.3	11.4±0.3	0.89±0.02
Lark Light 100's 100FSP	12.5±0.4	13.0±0.3	1.07±0.02
Players KFHP	12.6±0.3	12.0±0.3	0.87±0.02
Vantage Menthol 100s 100FMSP	12.6±0.3	8.2±0.2	0.60±0.01
Chesterfield RNFSP	12.6±0.3	19.7±0.4	1.26±0.03
Players KFMHP	12.6±0.2	11.8±0.2	0.86±0.01
Richland Lights (25) KFSP	12.6±0.3	11.6±0.3	0.90±0.02
Kent KFHP	12.6±0.2	11.1±0.2	0.82±0.01
Kool Milds KFMSP	12.6±0.2	12.2±0.2	0.94±0.03
American Lights KFSP	12.7±0.2	12.0±0.2	0.91±0.01
Winston Lights 100's 100FSP	12.7±0.2	11.1±0.2	0.79±0.01
Viceroy Lights KFSP	12.7±0.3	11.3±0.2	0.87±0.02
Cambridge Lights KFSP	12.7±0.2	12.4±0.2	0.89±0.02
Benson & Hedges Lights 100's 100FSP	12.8±0.4	10.6±0.3	0.84±0.03
Lucky Strike KFSP	12.8±0.4	12.3±0.3	0.92±0.02
Parliament Lights 100's 100FSP	12.8±0.3	12.2±0.2	1.02±0.02
Lucky Strike KFHP	12.8±0.2	12.0±0.2	0.92±0.02
Pyramid Lights KFSP	12.9±0.3	13.5±0.2	1.06±0.02
Players 100's 100FHP	12.9±0.2	14.2±0.2	1.04±0.02
L & M KFHP	12.9±0.2	13.6±0.2	1.07±0.02
Dunhill Menthol Mild 100FMHP	13.0±0.4	10.8±0.4	0.97±0.03
Kool Milds 100's 100FMSP	13.0±0.3	12.1±0.3	0.95±0.02
L & M KFSP	13.0±0.3	13.6±0.3	1.05±0.02
Cambridge Lights KFMSP	13.0±0.4	12.0±0.3	0.87±0.02
Lucky Strike Filters 100's 100FSP	13.0±0.3	12.4±0.3	0.96±0.02
Century 25's Lights 100's 100FSP	13.0±0.3	11.5±0.2	0.89±0.02
Virginia Slims 100FSP	13.2±0.2	15.0±0.3	1.12±0.02
American Lights 100's 100FSP	13.2±0.4	12.3±0.3	0.97±0.02
Virginia Slims 100FMSP	13.3±0.3	15.3±0.2	1.15±0.02
Satin 100FSP	13.3±0.4	11.1±0.3	0.94±0.01
Virginia Slims Lights 120's 120FMHP	13.3±0.3	13.7±0.3	1.09±0.02
Vantage KFSP	13.4±0.2	10.3±0.1	0.73±0.01
Magna Lites KFSP	13.4±0.3	9.4±0.2	0.65±0.02
Players 25's Lights 100's 100FMSP	13.5±0.3	11.5±0.2	0.87±0.01

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Sorted Carbon Monoxide Results**

Brand	CO mg/cig	"Tar" mg/cig	"Nicotine" mg/cig
More White Lights 120s 120FSP.....	13.5±0.3	9.8±0.1	0.74±0.01
*Philip Morris RNFSF.....	13.6±0.5	23.5±0.5	1.43±0.03
Pall Mall Red Filters KFSP.....	13.6±0.3	15.2±0.4	1.13±0.03
Satin 100FMSP.....	13.6±0.3	11.3±0.2	0.94±0.02
Cambridge Lights 100's 100FSP.....	13.6±0.3	11.7±0.2	0.88±0.01
Kent KFSP.....	13.6±0.4	11.8±0.3	0.87±0.02
Lark 100FSP.....	13.6±0.2	14.4±0.2	1.17±0.02
Cambridge Lights 100's 100FMSP.....	13.6±0.3	11.5±0.2	0.88±0.01
Camel Lights 100's 100FSP.....	13.7±0.3	11.0±0.2	0.78±0.01
Players 25's Lights 100's 100FSP.....	13.7±0.3	11.8±0.2	0.88±0.02
Malibu 100's 100FSP.....	13.7±0.5	14.3±0.5	1.12±0.03
Viceroy Lights 100's 100FSP.....	13.8±0.3	12.0±0.3	0.92±0.02
Virginia Slims Lights 120's 120FHP.....	13.9±0.4	14.3±0.3	1.13±0.02
Magna KFSP.....	13.9±0.3	13.5±0.2	0.93±0.01
Richland 20's Lights 100's 100FSP.....	14.0±0.3	12.3±0.3	0.91±0.02
Camel RNFSF.....	14.0±0.3	22.5±0.4	1.42±0.03
Malibu Menthol KFMSF.....	14.0±0.3	16.1±0.3	1.18±0.02
Craven "A" Filter Standard Size RFHP.....	14.1±0.3	18.7±0.4	1.54±0.03
Falcon Lights 100's 100FSP.....	14.2±0.4	11.2±0.3	0.79±0.02
Camel Filters KFSP.....	14.3±0.3	14.8±0.2	0.96±0.02
Saratoga 120's 120FMHP.....	14.3±0.3	14.8±0.2	1.13±0.02
Richland Lights (25) 100's 100FSP.....	14.4±0.3	12.6±0.2	0.95±0.02
Raleigh KFSP.....	14.4±0.3	15.3±0.4	0.96±0.03
Pyramid Lights 100's 100FSP.....	14.5±0.2	13.5±0.2	1.14±0.02
American Filter King KFSP.....	14.5±0.3	16.4±0.2	1.15±0.01
Marlboro KFHP.....	14.5±0.4	16.8±0.3	1.17±0.02
American Filter 100's 100FSP.....	14.5±0.3	16.4±0.2	1.21±0.02
L & M Super 100 100FSP.....	14.6±0.3	13.7±0.2	1.09±0.02
Raleigh Lights 100's 100FSP.....	14.6±0.3	12.3±0.2	0.92±0.01
*Alpine 100s 100FMSP.....	14.6±0.3	15.4±0.3	1.13±0.02
Kool RNFMSP.....	14.6±0.3	21.5±0.8	1.39±0.02
Pyramid KNFSP.....	14.7±0.4	22.7±0.4	1.52±0.02
More White Lights 120s 120FMSP.....	14.8±0.3	10.3±0.2	0.81±0.02
Chesterfield KNFSP.....	14.8±0.4	23.5±0.5	1.58±0.04
Magna KFHP.....	14.9±0.3	13.9±0.2	0.89±0.02
Malibu Filters KFSP.....	14.9±0.3	16.6±0.3	1.20±0.02
Kent 100s 100FMSP.....	14.9±0.3	14.1±0.3	1.04±0.02
Pall Mall Red Filters 100's 100FSP.....	14.9±0.3	15.6±0.3	1.17±0.02
Marlboro KFMSF.....	15.0±0.3	16.5±0.3	1.16±0.02
Saratoga 120's 120FHP.....	15.0±0.4	15.1±0.3	1.17±0.02
Marlboro KFSP.....	15.1±0.3	16.8±0.3	1.18±0.02
Kent 100s 100FSP.....	15.1±0.3	13.9±0.3	1.03±0.02
English Ovals KNFHP.....	15.3±0.4	23.5±0.4	1.83±0.04
Viceroy Super Long 100's 100FSP.....	15.3±0.3	16.1±0.3	1.17±0.02
Benson & Hedges 100's 100FHP.....	15.3±0.2	16.4±0.2	1.22±0.02

*Retested brand

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Sorted Carbon Monoxide Results**

Brand	CO mg/cig	"Tar" mg/cig	"Nicotine" mg/cig
Marlboro 25's KFSP	15.4±0.3	17.1±0.3	1.21±0.02
Players RNFHP	15.4±0.4	24.7±0.4	1.74±0.03
St. Moritz Filter 100FSP	15.5±0.2	14.9±0.2	1.09±0.02
Richland 20's KFMSP	15.5±0.4	16.1±0.3	1.05±0.02
Newport Stripes 100FHP	15.5±0.4	11.7±0.2	0.91±0.02
Benson & Hedges 100's 100FMHP	15.6±0.3	16.5±0.3	1.21±0.02
Philip Morris International 100FMHP	15.6±0.2	16.8±0.2	1.28±0.02
Tareyton KFSP	15.6±0.3	14.2±0.3	0.99±0.02
Kool KFMHP	15.6±0.4	15.9±0.4	1.09±0.02
Raleigh 100's 100FSP	15.7±0.3	15.5±0.4	0.97±0.02
Viceroy KFSP	15.7±0.4	16.8±0.3	1.11±0.03
Marlboro 100's 100FSP	15.7±0.4	16.4±0.3	1.21±0.02
Richland (25) KFMSP	15.8±0.4	16.5±0.4	1.08±0.02
Winston KFHP	15.8±0.3	16.8±0.3	1.05±0.02
Rothmans Special Mild KFHP	15.9±0.2	14.1±0.3	1.11±0.02
Benson & Hedges 100's 100FMSP	15.9±0.3	15.8±0.2	1.16±0.02
Marlboro 100's Red 100FSP	15.9±0.2	16.4±0.2	1.22±0.01
Cambridge Full Flavor KFSP	15.9±0.2	17.5±0.3	1.14±0.02
St. Moritz Menthol 100FMSP	16.0±0.4	14.2±0.3	0.93±0.02
Salem 100's 100FMSP	16.0±0.4	16.4±0.3	1.15±0.02
Kool KFMSP	16.0±0.4	17.0±0.3	1.19±0.03
*Alpine KFMSP	16.0±0.3	17.0±0.3	1.14±0.02
Harley Davidson KFSP	16.0±0.2	13.9±0.1	0.99±0.01
Camel Filters KFHP	16.1±0.3	16.9±0.3	1.04±0.02
Doral Full Flavor KFMSP	16.1±0.3	16.3±0.2	1.09±0.02
Philip Morris Commander KNFSP	16.1±0.5	26.1±0.4	1.65±0.03
Richland (25) KFSP	16.1±0.4	16.8±0.3	1.16±0.02
Philip Morris International 100FHP	16.1±0.3	16.7±0.2	1.25±0.02
Marlboro 100's 100FHP	16.2±0.3	16.6±0.2	1.23±0.02
Winston KFSP	16.2±0.3	16.6±0.3	1.11±0.02
Richland 20's KFSP	16.2±0.3	17.2±0.4	1.18±0.02
Pall Mall KNFSP	16.3±0.5	24.7±0.6	1.65±0.04
Craven "A" KFHP	16.3±0.3	15.6±0.2	1.19±0.02
Pall Mall 25's KNFSP	16.3±0.3	25.0±0.3	1.66±0.03
Richland 20's Menthol 100's 100FMSP	16.4±0.3	16.3±0.3	1.14±0.02
Old Gold Lights 100s 100FSP	16.4±0.3	12.0±0.2	0.92±0.02
Newport Stripes 100FMHP	16.4±0.4	12.1±0.2	0.90±0.02
Doral Full Flavor KFSP	16.5±0.4	16.2±0.3	1.02±0.03
Cambridge Full Flavor 100's 100FSP	16.6±0.4	17.3±0.3	1.19±0.02
Salem KFMSP	16.7±0.2	16.8±0.2	1.16±0.02
Tareyton 100's 100FSP	16.7±0.3	13.9±0.2	1.02±0.02
Benson & Hedges 100's 100FSP	16.8±0.3	16.9±0.3	1.24±0.02
Newport KFMHP	16.9±0.3	15.9±0.3	1.15±0.02
Kool Super Longs 100's 100FMSP	16.9±0.3	17.2±0.3	1.27±0.03
Raleigh KNFSP	16.9±0.4	25.1±0.4	1.46±0.03

*Retested brand

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32
Sorted Carbon Monoxide Results**

Brand	CO mg/cig	"Tar" mg/cig	"Nicotine" mg/cig
Richland 20's 100's 100FSP.....	17.0±0.3	17.8±0.3	1.30±0.02
Dunhill Menthol 100FMHP.....	17.1±0.2	14.8±0.2	1.26±0.02
Lucky Strike RNFSP.....	17.2±0.4	25.1±0.4	1.56±0.03
Pall Mall 100's 100FSP.....	17.2±0.2	17.5±0.2	1.34±0.02
Doral Full Flavor 100's 100FMSP.....	17.3±0.2	15.8±0.2	1.13±0.02
Dunhill International 100FHP.....	17.3±0.3	16.9±0.2	1.56±0.03
Marlboro 100's Red 100FHP.....	17.3±0.3	16.8±0.3	1.27±0.02
Century 25's (25) KFSP.....	17.4±0.4	15.1±0.3	0.97±0.02
Tall 120s 120FMSP.....	17.5±0.3	18.4±0.3	1.57±0.03
Richland 100's (25) 100FSP.....	17.5±0.3	18.2±0.2	1.35±0.02
Max 120s 120FMSP.....	17.6±0.5	16.9±0.4	1.32±0.03
Herbert Tareyton KNFSP.....	17.6±0.4	25.3±1.0	1.57±0.03
Newport KFMSF.....	17.7±0.3	16.9±0.2	1.23±0.02
Old Gold Straights KNFSP.....	17.9±0.6	26.0±0.7	1.77±0.03
Prince KFSP.....	18.0±0.2	16.5±0.2	1.31±0.02
Doral Full Flavor 100's 100FSP.....	18.1±0.4	16.2±0.3	1.11±0.03
Newport 25's KFMSF.....	18.1±0.2	17.1±0.2	1.24±0.02
Old Gold Filters KFSP.....	18.2±0.5	17.2±0.3	1.25±0.02
Spring 100's 100FMSP.....	18.4±0.4	18.2±0.3	1.40±0.03
Max 120s 120FSP.....	18.6±0.4	17.2±0.2	1.32±0.02
Newport 100's 100FMSP.....	18.7±0.4	18.0±0.3	1.37±0.02
More Lights 120s 120FSP.....	18.8±0.4	12.1±0.2	0.91±0.02
Camel Filters 100's 100FSP.....	18.9±0.3	17.3±0.2	1.04±0.02
Rothmans KFHP.....	18.9±0.3	18.0±0.3	1.36±0.02
Winston 100's 100FSP.....	19.1±0.3	17.1±0.2	1.05±0.01
Old Gold Filter 100's 100FSP.....	19.2±0.3	18.4±0.3	1.39±0.02
Tall 120s 120FSP.....	19.2±0.3	18.9±0.3	1.56±0.03
Newport 100's 100FMHP.....	19.4±0.3	18.7±0.3	1.42±0.03
Newport 25's 100's 100FMSP.....	19.4±0.3	19.2±0.2	1.45±0.02
More Lights 120s 120FMSP.....	19.5±0.5	12.6±0.3	0.99±0.02
Century 25's 100's 100FSP.....	20.4±0.3	17.2±0.2	1.14±0.02
More 120s 120FSP.....	21.8±0.3	17.0±0.2	1.21±0.02
More 120s 120FMSP.....	21.9±0.5	17.2±0.3	1.32±0.02

Rev. 6/90

Appendix C

PM3001059928

**Tobacco Institute Testing Laboratory
Market Sample 32**

Butt Lengths

Brand	Length - mm
Alpine KFMSP	27,27.5,28,28.5
Alpine 100 100FMSP	35,36
Alpine Lights KFMSP	33,34,35
Alpine Lights 100 100FMSP	38,39,40
American Filter King KFSP	26,27,28
American Filter 100's 100FSP	34.5,35,35.5
American Lights KFSP	31,32,33,34
American Lights 100's 100FSP	34,35
Belair KFMSP	35,36
Belair 100's 100FMSP	39,40
Benson & Hedges KFHP	32,33,34
Benson & Hedges 100's 100FHP	34,35,36
Benson & Hedges 100's 100FMHP	34,35,36
Benson & Hedges 100's 100FSP	34,35,36
Benson & Hedges 100's 100FMSP	34,35,36
Benson & Hedges Deluxe Ultra Lights 100's 100FHP	38,39,40
Benson & Hedges Deluxe Ultra Lights 100's 100FMHP	38,39,40
Benson & Hedges Lights 100's 100FHP	38,39,40
Benson & Hedges Lights 100's 100FMHP	38,39,40
Benson & Hedges Lights 100's 100FSP	38,39,40
Benson & Hedges Lights 100's 100FMSP	38,39,40
Benson & Hedges Multifilter KFSP	32,33,34
Cambridge Full Flavor KFSP	28,29
Cambridge Full Flavor 100's 100FSP	38,39,40
Cambridge Lights KFSP	33,34,35
Cambridge Lights KFMSP	34,35
Cambridge Lights 100's 100FSP	38,39,40
Cambridge Lights 100's 100FMSP	38,39,40
Cambridge Ultra Low Tar 100 100FSP	38,39,40
Camel RNFSP	23
Camel Filters KFHP	25,26,27
Camel Filters KFSP	27,28,29
Camel Filters 100's 100FSP	34,35,
Camel Lights KFHP	29,30,31
Camel Lights KFSP	33,34,35
Camel Lights 100's 100FSP	37,38,39
Capri 100FHP	34,35,36
Capri 100FMHP	34,35,36
Capri 120's 120FHP	39,39.5
Capri 120's 120FMHP	39,39.5
Carlton Ultra KFHP	38,39,40
Carlton KFSP	32,33,
Carlton KFMSP	32,33,34,35
Carlton 83 KFHP	32,33,34
Carlton 100's 100FHP	37,38,39
Carlton 100's 100FMHP	37,38,39
Carlton 100's 100FSP	34,35,36,37

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32**

Butt Lengths

Brand	Length - mm
Carlton 100's 100FMSP	34,35,36
Carlton 120's 120FSP	38,39
Carlton 120's 120FMSP	38,39
Century 25's (25) KFSP	29,30,31
Century 25's 100's 100FSP	38,39
Century 25's Lights (25) KFSP	29,30,31,34,35
Century 25's Lights 100's 100FSP	37,38,39
Century 25's Lights 100's 100FMSP	37,37.5,38,38.5,39
Chesterfield RNFSP	23
Chesterfield KNFSP	23
Chesterfield Lights KFSP	32,33,34
Chesterfield Lights 100 100FSP	38,39
Doral Full Flavor KFSP	27,28,29,30,31
Doral Full Flavor KFMSP	27,28,29
Doral Full Flavor 100's 100FSP	37,38,39
Doral Full Flavor 100's 100FMSP	36,37,38,39,40
Doral Lights KFSP	33,34,35
Doral Menthol Lights KFMSP	33,34,35
Doral Lights 100's 100FSP	37,38,39
Doral Menthol Lights 100's 100FMSP	37,38
Doral Ultra Lights 100's 100FSP	38,39
English Ovals KNFHP	23
Eve Slim Lights 100's 100FHP	37,38,39
Eve Slim Lights 100's 100FMHP	37,38,39
Eve Lights 120's 120FHP	37,38
Eve Lights 120's 120FMHP	37,38,39
Eve Ultra Lights 120's 120FHP	37,38
Eve Ultra Lights 120's 120FMHP	38
Falcon Lights KFSP	33,34,35,36
Falcon Lights KFMSP	34,35,36
Falcon Lights 100's 100FSP	38,39,40
Falcon Lights 100's 100FMSP	38,39
Harley Davidson KFSP	28,29
Herbert Tareyton KNFSP	23
Kent Golden Lights KFHP	32,33,34
Kent Golden Lights KFSP	34,34.5,35,35.5,36
Kent Golden Lights KFMSP	34,35,36
Kent Golden Lights 100s 100FHP	35,36,37,38
Kent Golden Lights 100s 100FSP	35,36,37,38
Kent Golden Lights 100s 100FMSP	34,35,36
Kent KFHP	27,28,29,30
Kent KFSP	27,28,29,30
Kent 100s 100FSP	36,37,38
Kent 100s 100FMSP	35,36,37,38
Kent III KFSP	34,35
Kent III 100s 100FHP	35,36,37,38,39
Kent III 100s 100FSP	35,35.5,36,37,38

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32**

Butt Lengths

Brand	Length - mm
Kool RNFMSMSP	23
Kool Super Longs 100's 100FMSP	26,27
Kool KFMSP	29,30
Kool Super Longs 100's 100FMSP	35,36
Kool Lights KFMSP	35,36
Kool Lights 100's 100FMSP	39,40
Kool Milds KFMHP	29,30
Kool Milds KFMSP	35,36
Kool Milds 100's 100FMSP	38,39,40
Kool Ultra KFMSP	35,36
Kool Ultra 100's 100FMSP	39,40
L & M KFHP	32,33,34
L & M KFSP	32,33,34
L & M Super 100 100FSP	37,38,39,40
L & M Long Lights 100FSP	37,38,39
L & M 30's Lights 100's 100FSP	38
Lark KFSP	32,33,34
Lark 100FSP	38,39
Lark Lights KFSP	32,33,34
Lark Light 100's 100FSP	38,39
Lucky Strike RNFSP	23
Lucky Strike KFHP	32,32.5,33,33.5,34,34.5
Lucky Strike KFSP	32,33,34
Lucky Strike Filters 100's 100FSP	34,35,36
Lucky Strike Lights KFSP	33,33.5,34,34.5
Lucky Strike Lights 100's 100FSP	34,35,36
Magna KFHP	25,26,27
Magna KFSP	27,27.5,28
Magna Lites KFSP	33,33.5,34.5,35
Malibu Filters KFSP	26,27,28
Malibu Menthol KFMSP	26,27,27.5,28
Malibu 100's 100FSP	34,35,36
Malibu Menthol 100's 100FMSP	33,34,35,36
Malibu Lights KFSP	33
Malibu Lights 100's 100FSP	34,35,36
Marlboro KFHP	26,27
Marlboro KFSP	28,29
Marlboro KFMSP	27,27.5,28,28.5,29
Marlboro 100's 100FHP	34,35
Marlboro 100's 100FSP	34,35
Marlboro 25's KFSP	27,28,29
Marlboro Lights KFHP	33,34,35
Marlboro Lights KFMHP	33,34,35
Marlboro Lights KFSP	34,34.5,35
Marlboro Lights 100's 100FHP	38,39,40
Marlboro Lights 100's 100FMHP	38,39,40
Marlboro Lights 100's 100FSP	38,39

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32**

Butt Lengths

Brand	Length - mm
Marlboro Lights 25's KFSP	33,33.5,34,34.5,35
Marlboro 100's Red 100FHP	34,35
Marlboro 100's Red 100FSP	34,35
Max 120s 120FSP	37,38,39
Max 120s 120FMSP	37,38,39
Merit KFHP	34,35,36
Merit KFSP	35,36
Merit KFMSP	34,35,36
Merit 100's 100FSP	38,38.5,39,39.5,40
Merit 100's 100FMSP	38,38.5,39,39.5,40
Merit Ultra Lights KFHP	34.5,35,35.5,36
Merit Ultra Lights KFSP	35,35.5,36
Merit Ultra Lights KFMSP	34,34.5,35,35.5,36
Merit Ultra Lights 100's 100FHP	38,39
Merit Ultra Lights 100's 100FSP	38,39
Merit Ultra Lights 100's 100FMSP	38,39,40
More 120s 120FSP	41,42,43
More 120s 120FMSP	41,42,43
More Lights 100s 100FHP	37,38,39
More Lights 100s 100FMHP	35,36,37,38,39,40
More Lights 120s 120FSP	41,42,42.5,43
More Lights 120s 120FMSP	41,42,43
More White Lights 120s 120FSP	41,41.5,42,42.5
More White Lights 120s 120FMSP	41,41.5,42,42.5,43
Newport KFMHP	26,28,29
Newport KFMSP	28,29
Newport 100's 100FMHP	35,36,37
Newport 100's 100FMSP	35,36,37,38
Newport 25's KFMSP	28,28.5,29,29.5
Newport 25's 100's 100FMSP	35,36,36.5,37
Newport Lights KFMHP	32,33,34
Newport Lights KFMSP	33,34,34.5,35,36,37
Newport Lights 100's 100FMHP	35,36,37
Newport Lights 100's 100FMSP	34,35,36,37
Newport Stripes 100FHP	35,36,37
Newport Stripes 100FMHP	35,36,37,38
Newport Stripes Slim Lights 100FMHP	37,38,39
Now KFHP	34,35,36
Now KFSP	33,33.5,34,34.5
Now KFMSP	34,34.5,35
Now 100s 100FHP	37,38,38.5,39
Now 100s 100FSP	37,37.5,38,39
Now 100s 100FMSP	37,38,39
Old Gold Straights KNFSP	23
Old Gold Filters KFSP	28,29
Old Gold Filter 100's 100FSP	35,36,37,38
Old Gold Lights KFSP	34,35

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32**

Butt Lengths

Brand	Length - mm
Old Gold Lights 100s 100FSP.....	35,36,37
Pall Mall KNFSP.....	23
Pall Mall 25's KNFSP.....	23
Pall Mall 100's 100FSP.....	34,35,36
Pall Mall Lights 100's 100FSP.....	37,38,39
Pall Mall Red Filters KFSP.....	26,27,28
Pall Mall Red Filters 100's 100FSP.....	34,35,36,37
Pall Mall Red Lights KFSP.....	33,33.5,34
Pall Mall Red Lights 100's 100FSP.....	34,35,36
Parliament Lights KFHP.....	32,33,34
Parliament Lights KFSP.....	32,33,34
Parliament Lights 100's 100FSP.....	38,39
Philip Morris RNFSP.....	23
Philip Morris Commander KNFSP.....	23
Philip Morris International 100FHP.....	34.5,35,35.5,36
Philip Morris International 100FMHP.....	34,34.5,35,35.5,36
Players RNFHP.....	23
Players KFHP.....	34,35,35.5
Players KFMHP.....	34,35
Players 100's 100FHP.....	39
Players 100's 100FMHP.....	39
Players Lights 25's KFSP.....	33,34,35
Players Lights 25's KFMSP.....	33,34,35
Players 25's Lights 100's 100FSP.....	38,39,40
Players 25's Lights 100's 100FMSP.....	39,40
Prince KFSP.....	27
Prince Lights KFSP.....	27
Pyramid KNFSP.....	23
Pyramid Lights KFSP.....	33,34
Pyramid Lights 100's 100FSP.....	38,39,39.5,40
Pyramid Ultra Lights 100's 100FSP.....	38,38.5
Raleigh KNFSP.....	23
Raleigh KFSP.....	29,30
Raleigh 100's 100FSP.....	35,36
Raleigh Lights KFSP.....	35,36
Raleigh Lights 100's 100FSP.....	39,40
Richland 20's KFSP.....	29,30
Richland 20's KFMSP.....	29,30
Richland 20's 100's 100FSP.....	34,34.5,35,36
Richland 20's Menthol 100's 100FMSP.....	34,35
Richland 20's Lights KFSP.....	34,35
Richland 20's Lights 100's 100FSP.....	38,39,39.5,40
Richland (25) KFSP.....	29,30
Richland (25) KFMSP.....	28,29,29.5
Richland 100's (25) 100FSP.....	34,34.5,35,35.5,36
Richland Lights (25) KFSP.....	34,34.5,35,35.5
Richland Lights (25) 100's 100FSP.....	39,39.5

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32**

Butt Lengths

Brand	Length - mm
Ritz 100 100FHP	37,38,39
Ritz 100 100FMHP	37,38,39
Salem KFMSF	28,29
Salem 100's 100FMSP	34,34.5,35,35.5
Salem Lights KFMSF	33,34,35
Salem Lights 100's 100FMHP	36.5,37,37.5,38,38.5,39
Salem Lights 100's 100FMSP	37.5,38,38.5
Salem Slim Lights 100's 100FMHP	37,37.5,38
Salem Ultra Lights KFMSF	33,34,35
Salem Ultra Lights 100's 100FMSP	37.5,38,38.5
Saratoga 120's 120FHP	38,38.5,39,39.5
Saratoga 120's 120FMHP	38,38.5,39,39.5
Satin 100FSP	35,36,37
Satin 100FMSP	35,36,37
Savvy 100's Lights 100FSP	37.5,38,38.5
Savvy 100's Lights 100FMSP	37,37.5,38.5,39
Savvy Ultra Lights 100's 100FSP	36,37,37.5,38,39,40
Silva Thins Filters 100FHP	38.5,39,39.5,40
Silva Thins Menthol 100FMHP	38,39,40
Spring 100's 100FMSP	35,36,36.5,37,38
Tall 120s 120FSP	37,37.5,38,38.5,39
Tall 120s 120FMSP	38,39
Tareyton KFSP	27,28
Tareyton 100's 100FSP	34,35,36
Tareyton Lights KFSP	34,35,36
Tareyton Long Lights 100FSP	34,35,35.5,36,37
Triumph KFSP	35,35.5,36
Triumph KFMSF	34,35,35.5,36
Triumph 100s 100FSP	35,36,36.5,37,38
Triumph 100s 100FMSP	35,36,37,38
True KFSP	32,32.5,33,33.5,34
True KFMSF	32,32.5,33,33.5,34
True 100's 100FSP	36,36.5,37
True 100's 100FMSP	36,37
Vantage KFSP	32,33,34
Vantage KFMSF	32.5,33,34
Vantage 100s 100FSP	37,38
Vantage Menthol 100s 100FMSP	38,39
Vantage Excell 100's 100FSP	38,38.5
Vantage Ultra Lights KFSP	33,33.5,34
Vantage Ultra Lights 100s 100FSP	37,37.5,38,38.5,39
Viceroy KFSP	29,30
Viceroy Super Long 100's 100FSP	35,36
Viceroy Lights KFSP	35,36
Viceroy Lights 100's 100FSP	39,40
Virginia Slims 100FSP	34.5,35,35.5
Virginia Slims 100FMSP	34.5,35,35.5

Rev. 6/90

**Tobacco Institute Testing Laboratory
Market Sample 32**

Butt Lengths

<u>Brand</u>	<u>Length - mm</u>
Virginia Slims Lights 100FHP.....	38,39,39.5,40
Virginia Slims Lights 100FMHP.....	38.5,39,39.5,40
Virginia Slims Lights 120's 120FHP.....	38,39,39.5,40
Virginia Slims Lights 120's 120FMHP.....	38,39,39.5,40
Virginia Slims Ultra Lights 100 100FHP.....	38,38.5,39,39.5,40
Virginia Slims Ultra Lights 100 100FMHP.....	38,38.5,39,39.5,40
Winston KFHP.....	25,26
Winston KFSP.....	28,29
Winston 100's 100FSP.....	33.5,34,34.5,35
Winston Lights KFHP.....	29,29.5,30,30.5,31
Winston Lights KFSP.....	34,34.5,35
Winston Lights 100's 100FHP.....	36.5,37,37.5,38,38.5,39
Winston Lights 100's 100FSP.....	37,37.5,38
Winston Ultra Lights KFSP.....	33.5,34,34.5
Winston Ultra Lights 100's 100FSP.....	37.5,37.5,38,38.5,39
Craven "A" KFHP.....	23.5,24
Craven "A" Filter Standard Size RFHP.....	23
Dunhill International 100FHP.....	30.5,31,31.5,32
Dunhill Menthol 100FMHP.....	31,31.5
Dunhill Menthol Mild 100FMHP.....	31,31.5,32
Dunhill International Superior Mild 100FHP.....	31,31.5,32
Rothmans KFHP.....	23
Rothmans Special Mild KFHP.....	27
St. Moritz Filter 100FSP.....	35,35.5,36
St. Moritz Menthol 100FMSP.....	35,35.5,36